

D.	Entrance Fiber		
1.	Cable Vault Splice (Per Fiber Spliced)	00.00	14.55
2.	Entrance Fiber Cable (Per Cable)	12.73	694.65
3.	Splice Case (Per Splice Case/12 fibers)	.80	173.72
4.	Riser Tail (Per 12 fibers)	9.07	1,596.15
E.	Power Arrangement	25.00.	00.00
F.	Power Consumption		
1.	DC Power Per AMP	5.25	00.00
2.	DC Transmission Energy Charge (Per AMP)	2.03	00.00
3.	Ground Cable Arrangement (Per Foot)	.02	1.00
G.	Voice Grade Interconnection Arrangement (Per 100 Pairs)	7.58	1,235.67
H.	DS1 Interconnection Arrangement to DCS (Per 28 DS1s)	131.47	7,692.97
I.	DS1 Interconnection Arrangement to DSX (Per 28 DS1s)	\$10.79	\$1,834.44
J.	DS3 Interconnection Arrangement to DCS (Per DS3)	36.56	2,109.13
K.	DS3 Interconnection Arrangement to DSX (Per DS3)	10.23	830.92
L.	Fiber Interconnection Arrangement (12 Fiber Pairs)	8.73	569.00

494

M. Collocation to Collocation Connection

Virtual to Virtual

1.	Fiber Cable (12 Fibers)		
-	SWBT Provides Cable, Engineers and Installs	.60	442.00
-	Collocator Provides Cable, SWBT Engineers and Installs	00.00	310.00
-	Collocator Provides Cable and Installs, SWBT Engineers	00.00	140.00
2.	Copper Cable (28 DS1s)		
-	SWBT Provides Cable, Engineers and Installs	1.44	626.00
-	Collocator Provides Cable, SWBT Engineers and Installs	00.00	310.00
-	Collocator Provides Cable and Installs, SWBT Engineers	00.00	140.00
3.	Coax Cable (1 DS3)		
-	SWBT Provides Cable, Engineers and Installs	\$1.14	\$562.00
-	Collocator Provides Cable, SWBT Engineers and Installs	00.00	310.00
-	Collocator Provides Cable and Installs, SWBT Engineers	00.00	140.00

Virtual to Physical

4.	Cable Racking and Hole		
-	For Optical, per cable	.25	None
-	DS1 or DS3, per cable	.20	None
-	Connection for DS1 (28 DS1s)	None	721.30
-	Connection for DS3 (1 DS3)	None	184.32
-	Connection for Optical (per cable)	None	1,155.59

N. Timing Source Arrangement 4.70 215.00

O. Nondesignated Conversion Arrangement

1.	DS3 to DS1	481.13	
-	First		1,125.35
-	Additional		658.25

495

O.	Nondesignated Conversion Arrangement (cont.)		
2.	DS1 to Voice Grade	139.28	
-	First		220.50
-	Additional		132.75
3.	DS1 to DS0	139.28	
-	First		220.50
-	Additional		132.75
P.	Training		
1.	Training Course and Materials (Per Day Per Employee)	\$00.00	\$440.00
2.	Lodging (Per Day Per Employee)	00.00	117.80
3.	Intercity Transportation (Per Employee)	00.00	679.35
4.	Local Transportation (Per Odometer Mile Per Employee)	00.00	.50
5.	Per Diem (Per Employee)	00.00	44.00
6.	Airport Parking (Per Day, Per Employee)	00.00	7.00
Q.	Maintenance and Repair Rates		
1.	NOC Trouble Ticket,		
-	Each 1/4 hour	00.00	12.45
2.	Regular Hours-Manned Office		
-	Each 1/2 hour	00.00	24.90
-	Each Additional 1/2 hour	00.00	24.90
3.	After Hours Callout		
-	4 Hour Minimum	00.00	199.20
-	Each Additional 1/2 hour	00.00	24.90
4.	Non-Staffed Office Any Time		
-	4 Hour Minimum	00.00	199.20
-	Each Additional 1/2 hour	00.00	24.90

(4/96)

CEVs, Huts and Cabinets

A.	Entrance Cable Fiber/Copper (per cable)	\$00.00	\$690.00
B.	Fiber Splice Termination (per fiber)	00.00	14.55
C.	Copper Pair Splice/Termination (Per Copper Pair)	00.00	10.05
D.	Fiber Termination Unit (Per each 4 to 24 Fibers)	9.98	1,915.00
E.	Copper Termination Unit (Per each 1-100 pair)	2.56	492.00
F.	Maintenance and Repair Rates		
1.	NOC Trouble Ticket, - Each 1/4 hour	00.00	12.45
2.	Four Hour Minimum	00.00	199.20
3.	Each Additional 1/2 hour	00.00	24.90
G.	Interconnection Cross Connect (Per Cross Connect)		
1.	Copper 2-wire - Initial	00.00	239.83
-	- Additional	00.00	102.19
2.	Copper 4-wire - Initial	00.00	240.84
-	- Additional	00.00	103.21
3.	Fiber - Per Fiber - Initial	.80	333.46
-	- Additional	.80	159.54
H.	Application Fee	00.00	258.86

(2197)

14.0 ALTERNATIVE VIRTUAL COLLOCATION ARRANGEMENT DESCRIPTION

Virtual collocation wherein the Collocator maintains and repairs the virtually collocated equipment.

For purposes of virtually collocating equipment, SWBT shall determine which eligible structures require access to CEVs, Huts, or manholes containing concentrated cabling and other forms of equipment that requires drawings, schematics, or other engineering documents that aide in the prevention of accidental network outages. The drawings, schematics, or other engineering documents shall denote the location of the requesting Collocator's equipment and cabling without disclosing identity of equipment and cabling belonging to SWBT and other Collocators. Provided that SWBT is not required to make this determination prior to an executed agreement to virtually collocate in an eligible structure.

After Collocator has been provided with written notification by SWBT that access to CEVs, Huts, or manholes containing concentrated cabling and other forms of equipment requires drawings, schematics, or other engineering documents that aide in the prevention of accidental network outages, Collocators may not enter an eligible structures without obtaining undated copies of drawings, schematics, or other engineering documents. Upon request, SWBT shall immediately make available to Collocators those drawings, schematics, or other engineering documents that identify the location of the requesting Collocator's equipment and cabling. In the event the requested documents are not immediately available, SWBT shall not prevent the Collocator from entering the eligible structure. If SWBT does not immediately make the requested documents available to a Collocator and the Collocator enters the eligible structure, SWBT shall deliver the requested documents to Collocator immediately upon locating same.

SWBT will provide a security escort with the Collocator paying the expense for the escort. In areas defined in SWBT's local exchange tariff as rate groups 6, 7 and 8, SWBT will provide the security escort within one (1) hour of notification by the Collocator. In areas defined in SWBT's local exchange tariff as rate groups 1, 2, 3, 4 and 5, SWBT will provide the security escort as soon as reasonably possible, or within the time frame agreed to by the parties, at the time of notice. In the event the FCC determines that SWBT may not require a security escort paid for by the Collocator, then this virtual collocation maintenance alternative as described in this Paragraph 14.0 and in Paragraph 1.1 2. is null and void, and all virtual collocation will be maintained by SWBT as described in Paragraph 1.1, 1.

Prior to entering an eligible structure that requires drawings, schematics, or other engineering documents, Collocators must provide SWBT with reasonable notice of the entry. Notice will be provided to SWBT's Local Operations Center, which will be available to receive notice 24 hours a day, 7 days a week. Collocators providing notice to SWBT's Local Operations Center must specify the title and date of all drawings, schematics, or other engineering documents that will be used while in the eligible structure.

498

The Collocator shall conduct background checks of the technicians who have access to the collocation space. Collocator technicians will be security qualified by the Collocator and will be required to be knowledgeable of SWBT security standards. Disciplinary procedures shall be established in accordance with Section 26.15.3 to ensure the safety and integrity of the Eligible Structure, including, e.g., procedures that require the responsible employee to be terminated for certain specified actions that damage or place the equipment of SWBT or other Collocators in jeopardy.

SWBT may use security devices, e.g., identification swipe cards, keyed access, and/or logs, as appropriate for the Eligible Structure where collocation will take place.

The Commission will permit SWBT to recover the cost of such security devices from the Collocators in a reasonable manner. The Collocator shall provide indemnification and insurance to cover any damages caused by the Collocator's technicians at a level commensurate with the indemnification and insurance provided by SWBT equipment suppliers with equivalent access.

Provisioning of equipment required for virtual collocation, e.g., power arrangements and interconnection arrangements will be provided in accordance with this appendix and interconnection agreements.

15.0 OBLIGATIONS OF THE COLLOCATOR

15.1 Indemnification of SWBT

Except as otherwise provided and to the extent not contradicted herein, the indemnity provisions of the Interconnection Agreement between SWBT and the Collocator shall apply and are incorporated herein by this reference. However, in no event will the provisions in this section supersede or override the indemnification provisions contained in the interconnection agreement between SWBT and Collocator. Additionally, in the event of a conflict between indemnification provisions in the interconnection agreement, the provisions in the interconnection agreement will control.

Collocators shall indemnify and hold harmless SWBT the agents, employees, officers, directors and shareholders of any of them ("Indemnities"), from and against any and all liabilities, obligations, claims, causes of action, fines, penalties, losses, costs, expenses (including court costs and reasonable attorney's fees), damages, injuries, of any kind, (individually and collectively "Liabilities"), including but not limited to, Liabilities as a result of (a) injury to or death of any person; (b) damage to or loss or destruction of any property; or (c) Liabilities related in any manner to employee benefits, workers compensation, payroll tax, and any other employer obligations which may be asserted against SWBT where such liabilities arise in connection with Collocator's use of persons that it classifies as an independent contractor or subcontractor to perform obligations under this Agreement; (d) attachments, liens or claims of material persons or laborers arising out of or resulting from or in connection with this Agreement or the performance of or failure to perform and directly or indirectly caused, in whole or part, by acts of omissions, negligent or otherwise, of Collocator or a contractor or a representative of Collocator or an employee of any one of them, except to the extent such Liabilities arise

from the negligence or willful or intentional misconduct of SWBT or its employees. The provisions in this section are reciprocal and applicable also to SWBT.

SWBT shall make best efforts to promptly notify Collocator of any suit or other legal proceeding asserting a claim for Liabilities. Upon request, Collocator shall, at no cost or expense to the Indemnatee, defend any such suit or legal proceeding asserting a claim for Liabilities, and Collocator shall pay any costs and attorneys' fees that may be incurred by any Indemnatee in connection with any such claim, proceeding or suit. Collocator shall also (a) keep SWBT and any other Indemnatee subject to any such claim fully informed as to the progress of such defense, and (b) afford SWBT and such Indemnatee, each at its own expense, an opportunity to participate on an equal basis with Collocator in the defense or settlement of any such claim.

15.2 Insurance

The Collocator agrees to maintain, at all times, the following minimum insurance coverages and limits and any additional insurance and/or bonds required by law:

- A. Workers' Compensation insurance with benefits afforded under the laws of the State of Missouri and Employers Liability insurance with minimum limits of \$100,000 for Bodily Injury-each accident, \$500,000 for Bodily Injury by disease-policy limits and \$100,000 for Bodily Injury by disease-each employee.
- B. Commercial General Liability insurance with minimum limits of: \$2,000,000 General Aggregate limit; \$1,000,000 each occurrence sub-limit for all bodily injury or property damage incurred in any one occurrence; \$1,000,000 each occurrence sub-limit for Personal Injury and Advertising; \$2,000,000 Products/Completed Operations Aggregate limit, with a \$1,000,000 each occurrence sub-limit for Products/Completed Operations. Fire Legal Liability sub-limits of \$300,000 are required for lease agreements. SWBT will be named as an Additional Insured on the Commercial General Liability policy.
- C. If use of an automobile is required, Automobile Liability insurance with minimum limits of \$1,000,000 combined single limits per occurrence for bodily injury and property damage, which coverage shall extend to all owned, hired and non-owned vehicles.

SWBT requires that companies affording insurance coverage have a B+ VII or better rating, as rated in the A.M. Best Key rating Guide for Property and Casualty Insurance Companies.

A certificate of insurance stating the types of insurance and policy limits provided the Collocator must be received prior to commencement of any work. The insurance provisions and requirements are reciprocal to SWBT as well. If a certificate is not received, SWBT will notify the Collocator and the Collocator will have 5 business days to cure the deficiency. If the Collocator does not cure the deficiency within 5 business days, Collocator hereby authorizes SWBT, and SWBT may, but is not required to, obtain

500

insurance on behalf of the Collocator as specified herein. SWBT will invoice Collocator for the costs incurred to so acquire insurance.

The cancellation clause on the certificate of insurance will be amended to read as follows:

"SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED OR MATERIALLY CHANGED, THE ISSUING COMPANY WILL MAIL 30 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER."

The Collocator shall also require all contractors who may enter the Eligible Structure to maintain the same insurance requirements listed above.

Self-insurance in lieu of the insurance requirements listed preceding shall be permitted if the Collocator 1) has a tangible net worth of Fifty (50) Million dollars or greater, and 2) files a financial statement annually with the Securities and Exchange Commission and/or having a financial strength rating of 4A or 5A assigned by Dun & Bradstreet. The ability to self-insure shall continue so long as the Collocator meets all of the requirements of this Paragraph. If the Collocator subsequently no longer satisfies this Paragraph, the coverage requirements described above shall immediately apply.

15.3 Conduct While in SWBT Eligible Structures

Collocators and SWBT will each establish disciplinary procedures up to and including dismissal or denial of access to the Eligible Structure and other SWBT property for certain specified actions that damage, or place the equipment, facilities, or the network or the personnel of the Collocators or SWBT in jeopardy. The following are actions that could damage or place the Eligible Structure, or the network or the personnel of the Collocators or SWBT in jeopardy and may justify disciplinary action up to and including dismissal or the denial of access to the Eligible Structure and other SWBT property:

- a. Theft or destruction of SWBT's or Collocator's property;
- b. Use/sale or attempted use/sale of alcohol or illegal drugs on SWBT property;
- c. Threats or violent acts against other persons on SWBT property;
- d. Knowing violations of any local, state or federal law on SWBT property;
- e. Permitting unauthorized persons access to SWBT or Collocator's equipment on SWBT property; and
- f. Carrying a weapon on SWBT property.

In addition, Collocator and SWBT will take appropriate disciplinary steps as determined by each party to address any violations reported by SWBT or the Collocator of SWBT's policies and practices on security, safety, network reliability, and business conduct as defined in SWBT's Interconnector's Collocation Services Handbook for Virtual

501

Collocation in Missouri, provided the Handbook and any and all updates to it are timely provided to Collocator at no charge.

16.0 COOPERATIVE RESPONSIBILITIES

16.1 Qualification of Collocators

Collocator technicians will be security qualified by the Collocator and will be required to be knowledgeable of SWBT security standards. Collocator personnel and technicians will undergo the same level of security training, or its equivalent that SWBT's own employees and authorized contractors must undergo. SWBT will not, however, require Collocators to receive security training from SWBT, but will provide information to Collocators on the specific type of training required. Collocators can then provide their employees with their own security training. Qualification program and security training details shall be included in SWBT's Interconnector's Collocation Services Handbook for Virtual Collocation in Missouri.

17.0 RATE REGULATIONS

The interim rates and rate elements listed below will be in effect only until the effective date of the Missouri Public Service Commission's order establishing permanent rates and rate elements in Case No. TT-2001-298 or another appropriate case established by the Missouri Public Service Commission to establish permanent rates, rate elements, terms and conditions for Virtual Collocation. The interim rates and rate elements set forth below are subject to true up to the permanent Virtual Collocation rates and rate elements established by the Missouri Public Service Commission in Case No. TT-2001-298 or another appropriate case. Any refund or additional charges due as a result of true up shall be paid within thirty days of the effective date of the Commission's order adopting permanent Virtual Collocation rates and rate elements. The time period subject to true up shall be limited to six months, retrospectively from the effective date of the Commission's final order adopting permanent Virtual Collocation rates and rate elements, but shall not include any period prior to the effective date of this agreement with CLEC.

The rate regulations, rate element descriptions and rates and charges included in 13.0 preceding apply to this virtual collocation alternative wherein the Collocator maintains and repairs the virtually collocated equipment. Additional rate elements and rates apply to this alternative as provided for below.

17.1 Rate Elements for SWBT Offices

- A. This security escort charge consists of the charges for SWBT-provided security escorts for Collocator Vendor's access to their virtual collocation space in Staffed and Unstaffed Central Offices. Any escort requirements will be initiated by the Collocator. Labor rates are based upon a ½ hour basis and are dependent upon day of week and time of day. For purposes of this agreement, normal week day is defined as 8:00 a.m. through 5:00 p.m., Monday through Friday, excluding holidays. The billing period will start at the time the technician is contacted. This will allow for travel time to reach the agreed meet point. Access requests outside of normal business hours or for unstaffed Central Offices which

502

are cancelled will be subject to the minimum four (4) hour call out charge. Non-recurring charges for this sub-element are specified in 17.3(A) following.

B. Safety and Security

This charge represents reasonable costs incurred by SWBT to secure its equipment contained within the used space of the Central Office. This charge is expressed as a recurring rate on a per square foot basis as specified in 17.3 (B) following and was developed based on implementation of varying combinations of the following security measures and devices:

- Interior Security Partition separating SWBT equipment
- Provisioning of door locks and keying of existing doors
- Door access controller and network controller necessary for a card reader system
- Security camera systems
- Locking cabinets and network equipment
- Combination door locks
- Cable locks for computer terminals and test equipment
- Secure ID/password protection for computer systems
- Emergency exit door alarms

In the event SWBT elects to erect an interior security partition in a given Central Office to separate its equipment, the lesser of the costs of the partition or a security camera system for such Central Office shall be applicable. In no event shall a Collocator be required to pay for both an interior security partition to separate SWBT's equipment in a Central Office and a security camera system for such Central Office.

17.2 Rate Elements for SWBT CEVs, Huts and Cabinets

A. Security Escorts

The security escort charge consists of the charges for SWBT-provided security escorts for Collocator Vendor's access to their virtual collocation space in CEVs, Huts and Cabinets. Any escort requirements will be initiated by the Collocator. Labor rates are based upon a 1/2 hour basis. The billing period will start at the time the technician is contacted. This will allow for travel time to reach the agreed meet point. Access requests which are cancelled will be subject to the minimum four (4) hour call out charge. Rates and charges are as found in 17.4(A).

(503)

17.3	Rates and Charges	<u>USOCs</u>	<u>Rate per Month</u>	<u>Nonrecurring Charge</u>
	Central Offices			
A.	Security Escorts, per visit			
1.	Staffed Building			
-	Access during normal business hours			
-	Each 1/2 hour		\$00.00	\$24.90
-	Each additional 1/2 hour		00.00	24.90
-	Access outside normal business hours			
-	4 hour minimum		00.00	199.20
-	Each additional 1/2 hour		00.00	24.90
2.	Unstaffed Building, Anytime			
-	4 hour minimum		00.00	199.20
-	Each additional 1/2 hour		00.00	24.90
B.	Safety and Security (Per square foot)		00.00	00.00

17.4 Rates and Charges

CEVs, Huts and Cabinets

A.	Security Escorts, per visit			
-	4 hour minimum		00.00	199.20
-	Each additional 1/2 hour		00.00	24.90

504

APPENDIX POLES, CONDUITS, AND RIGHTS-OF-WAY**MASTER AGREEMENT FOR ACCESS
TO POLES, DUCTS, CONDUITS, AND RIGHTS-OF-WAY**

This Appendix is made by and between Southwestern Bell Telephone Company ("SWBT") and NuVox Communications of Missouri, Inc. ("CLEC"). As provided in this Appendix, SWBT will provide CLEC nondiscriminatory access, in accordance with the Pole Attachment Act, the Telecommunications Act of 1996, and applicable rules, regulations, and commission orders, to poles, ducts, conduits, and rights-of-way owned or controlled by SWBT and located in this state.

ARTICLE 1: PARTIES

1.01 Southwestern Bell Telephone Company. Southwestern Bell Telephone Company ("SWBT") is a corporation chartered in the State of Missouri. SWBT's principal office is located at 1010 Pine Street, St. Louis, Missouri 63101.

1.02 NuVox Communications of Missouri, Inc. NuVox Communications of Missouri, Inc. ("CLEC") is a corporation chartered in the State of Delaware. CLEC maintains an office at 16090 Swingley Ridge Road, Suite 500, Chesterfield, Missouri 63017. CLEC is more fully described in EXHIBIT II ("Identification of CLEC").

ARTICLE 2: PURPOSE OF APPENDIX

The Communications Act of 1934, as amended by the Telecommunications Act of 1996, states that each local exchange carrier has the duty to afford access to the poles, ducts, conduits, and rights-of-way of such carrier on rates, terms, and conditions that are consistent with the Pole Attachment Act, 47 U.S.C. § 224, as amended by the Telecommunications Act of 1996. The primary purpose of this Appendix is to set forth the basic rates, terms, conditions, and procedures under which CLEC shall have access to SWBT's poles, ducts, conduits, and rights-of-way. SWBT shall provide CLEC with nondiscriminatory access to poles, ducts, conduits, or rights-of-way owned solely or in part by it, or controlled by it, as the term "nondiscriminatory access" is defined in the Telecommunications Act of 1996. This Appendix is intended by the parties to implement, rather than abridge, their respective rights and remedies under federal and state law.

2.01 Access Ancillary to Arrangements for Interconnection, Collocation, and Access to Unbundled Network Elements. Nothing contained in this Appendix shall be construed as precluding CLEC from having such additional access to SWBT's poles, ducts, conduits, and rights-of-way as may be necessary to effectuate the terms of other arrangements between CLEC and SWBT relating to interconnection, collocation, and access to unbundled network elements. To the extent that this Appendix does not provide the access required, additional terms of access may be included in any tariff or agreement between the parties establishing arrangements for interconnection, collocation, or access to unbundled network elements.

ARTICLE 3: DEFINITIONS

3.01 Definitions In General. As used in this Appendix, the terms defined in this article shall have the meanings set forth below in Sections 3.02 to 3.48 except as the context otherwise requires.

3.02 Anchor. The term "anchor" refers to a device, structure, or assembly which stabilizes a pole and holds it in place. An anchor assembly may consist of a rod and fixed object or plate, typically embedded in the ground, which is attached to a guy strand or guy wire which, in turn, is attached to the pole. The term "anchor" does not include the guy stand which connects the anchor to the pole.

3.03 Appendix. When capitalized, the term "Appendix" refers to this Master Agreement for Access to Poles, Ducts, Conduits, and Rights-of-Way. The term "Appendix" includes all appendices, attachments, and addenda to this Appendix.

3.04 Assigned. When used with respect to pole, duct, conduit, or right-of-way space, the term "assigned" refers to space that is occupied by, or has been designated for occupancy by, either party or by another telecommunications carrier, cable television system, provider of telecommunications services, governmental entity, or other person or entity having occupancy rights. Except as otherwise specifically provided in this Appendix, no person or entity shall have the right to occupy space assigned to another person or entity (other than on a temporary basis in the event of emergency) until the assignment has been released or lapsed. Assignment is further described in Article 8 of this Appendix.

3.05 Authorized contractor. "Authorized contractors" are contractors selected by CLEC who may, subject to CLEC's direction and control, perform facilities modification or make-ready work which would ordinarily be performed by SWBT or persons acting on SWBT's behalf. As used in this Appendix, the term "authorized contractor" does not refer to contractors performing routine installation, maintenance, or repair work on CLEC's behalf or other contractors who may be selected by CLEC to perform work on CLEC's behalf without SWBT's approval. More specifically, the term "authorized contractor" refers only to those contractors included on a list of contractors mutually approved by CLEC and SWBT to perform one or more of the following tasks within a specified SWBT construction district: (a) installation of those sections of CLEC's ducts or facilities which connect to SWBT's conduit system as provided in Section 6.08(c); (b) installation of inner duct as provided in Section 10.02(b); (c) excavation work in connection with the removal of retired or inactive (dead) cables as provided in Section 10.02(c); or (d) make-ready work as provided in Sections 10.04 and 10.05. A person or entity approved as an authorized contractor is only an authorized contractor with respect to those tasks for which such person or entity has been approved by both parties and is an authorized

contractor only in those SWBT construction districts agreed to by both parties. Designation of an authorized contractor for a specific category of tasks shall not be deemed to be the designation of such person or entity as an authorized contractor for other purposes, nor shall approval of an authorized contractor by one SWBT construction district constitute approval of such authorized contractor for the area served by a different SWBT construction district; provided, however, that if a specific construction job extends beyond the boundaries of a single construction district, an authorized contractor shall, for the purposes of that job, be deemed to have been approved by all SWBT construction districts in which the work is to be performed.

3.06 Available. When used with respect to pole, duct, conduit, and right-of-way space, the term "available" refers to space that is not occupied or assigned. In conduit systems owned or controlled by SWBT, maintenance ducts shall not be considered "available" for assignment. All other unassigned ducts, inner ducts, sub-ducts, and partitioned conduits in a conduit system owned or controlled by SWBT shall be deemed available for assignment.

3.07 Cables. The term "cable" includes but is not limited to twisted-pair copper, coaxial, and fiber optic cables. Cables are transmissions media which may be attached to or placed in poles, ducts, conduits, and rights-of-way but are not themselves poles, ducts, conduits, or rights-of-way. Nothing contained in this Appendix shall be construed as a grant of access to cables attached to SWBT's poles or placed in SWBT's ducts, conduits, or rights-of-way.

3.08 Conduit. The term "conduit" refers to all SWBT conduits subject to the Pole Attachment Act and the provisions of the Telecommunications Act of 1996 codified as 47 U.S.C. §§ 251(b)(4) and 271(c)(2)(B)(iii). In general, conduits are tubes or structures, usually underground or on bridges, containing one or more ducts used to enclose cables, wires, and associated transmission equipment. Except as the context otherwise requires, the term "conduit" refers only to conduit owned or controlled by SWBT, including the re-enterable manholes and handholes used to connect ducts and provide access to the cables, wires, and facilities within the ducts. As used in this Appendix, the term "conduit" refers only to conduit structures (including ducts, manholes, and handholes) and space within those structures and does not include (a) cables and other telecommunications equipment located within conduit structures or (b) central office vaults, controlled environment vaults, or other SWBT structures (such as huts and cabinets) which branch off from SWBT's conduit.

3.09 Conduit occupancy. The term "conduit occupancy" refers to the presence of wire, cable, optical conductors, or other within any part of SWBT's conduit system.

3.10 Conduit system. The term "conduit system" refers to any combination of ducts, conduits, manholes, and handholes joined to form an integrated whole. As used in this Appendix, the term "conduit system" refers only to conduit systems owned, or controlled by SWBT and does not include (a) cables and other telecommunications equipment located within

conduit structures or (b) central office vaults, controlled environment vaults, or other SWBT structures (such as huts and cabinets) which branch off from SWBT's conduit.

3.11 Construction District. The term "construction district" refers to the SWBT organization responsible for outside plant construction in a specified geographic area. The term "construction district" connotes responsibility for handling a function and not to the official name of the organization responsible for outside plant construction matters.

3.12 Cost/Cost-based. The terms "cost" and "costs" refer to costs determined in a manner consistent with the Pole Attachment Act and applicable rules, regulations, and commission orders. The term "cost-based" refers to rates, fees, and other charges which are based on costs and determined in a manner consistent with the Pole Attachment Act and applicable rules, regulations, and commission orders.

3.13 Duct. The term "duct" refers to all SWBT ducts subject to the Pole Attachment Act and the provisions of the Telecommunications Act of 1996 codified as 47 U.S.C. §§ 251(b)(4) and 271(c)(2)(B)(iii). In general, a duct is a single enclosed tube, pipe, or channel for enclosing and carrying cables, wires, and other facilities. As used in this Appendix, the term "duct" includes "inner ducts" created by subdividing a duct into smaller channels. Except as the context otherwise requires, the term "duct" refers only to ducts owned or controlled by SWBT and space within those ducts and does not include cables and other telecommunications equipment located within such ducts.

3.14 Exhibit. The capitalized term "EXHIBIT" refers to one of the following exhibits to this Appendix.

EXHIBIT I:	Pole and Conduit Attachment Rates
EXHIBIT II:	Identification of CLEC
EXHIBIT III:	Administrative Forms and Notices
SW-9433:	Pole Attachments
SW-9434:	Access Application and Make-Ready Authorization Work
SW-9435:	Conduit Occupancy
SW-9436A:	Notification of Surrender or Modification of Pole Attachment License by Licensee
SW-9436B:	Notification of Surrender or Modification of Conduit Occupancy License by CLEC

SW-9436C: Notification of Unauthorized Attachments by CLEC

EXHIBIT IV: Insurance Requirements

EXHIBIT V: Nondisclosure Agreement

EXHIBIT VII: Notices to SWBT

EXHIBIT VIII: Identification of Utility Liaison Supervisor (ULS)

3.15 Facilities. The terms "facility" and "facilities" refer to any property, equipment, or items owned or controlled by any person or entity.

3.16 FCC. The acronym "FCC" refers to the Federal Communications Commission.

3.17 First Interconnection Order. The term "First Interconnection Order" refers to the First Report and Order adopted by the FCC on September 1, 1996, and released on September 8, 1996, in CC Docket No. 96-98, In the Matter of Implementation of the Local Competition Provisions in the Telecommunications Act of 1996 and CC Docket No. 95-185, In the Matter of Interconnection between Local Exchange Carriers and Commercial Mobile Radio Service Providers. Access to poles, ducts, conduits, and rights-of-way is addressed in the First Interconnection Order in Paragraphs 1119-1240.

3.18 Handhole. The term "handhole" refers to a structure similar in function to a manhole, but which is too small for personnel to enter. As used in this Appendix, the term "handhole" refers only to handholes which are part of SWBT's conduit system and does not refer to handholes which provide access to buried cables not housed within SWBT ducts or conduits. As used in this Appendix, the term "handhole" refers only to handhole structures owned or controlled by SWBT and does not include cables and other telecommunications equipment located within handhole structures.

3.19 This Section Intentionally Left Blank

3.20 Interconnection agreement. The term "interconnection agreement" refers to the interconnection agreement, if any, to which this Appendix has been made an appendix, attachment, or exhibit, or, as the context may require, any other interconnection agreement between the parties.

3.21 Jacket. The term "jacket" refers to a single enclosed outer covering containing communications wires, fibers, or other communications media. As used in this Appendix, the term "jacket" refers to the outermost sheath or jacket of a cable.

3.22 Joint user. The term "joint user" refers to any person or entity which has entered or may enter into an agreement or arrangement with SWBT permitting it to attach its facilities to SWBT's poles or anchors or place its facilities in SWBT's conduit system.

3.23 License. The term "license" refers to a written instrument confirming that SWBT has afforded CLEC or another joint user access to specific space on or within a pole, duct, conduit, or right-of-way owned or controlled by SWBT in accordance with applicable federal and state laws and regulations. The term "license" includes licenses issued by SWBT pursuant to this Appendix and may, if the context requires, refer to licenses issued by SWBT prior to the date of this Appendix.

3.24 Local service provider ("LSP"). The terms "local service provider" and "LSP" refer to telecommunications carriers authorized by applicable federal and state laws and regulations to provide local exchange service. As used in this Appendix, these terms include SWBT.

3.25 Maintenance duct. The term "maintenance duct" generally refers to a full-sized duct (typically three inches in diameter or larger) which may be used by SWBT and joint users (including CLEC) on a short-term basis for maintenance, repair, or emergency restoration activities. Maintenance ducts will be available, on a nondiscriminatory basis, to all persons and entities (including SWBT, CLEC, other local service providers, and other joint users) with facilities in the conduit section in which the maintenance duct is located for (a) short-term emergency repairs as provided in Article 15 of this Appendix and (b) short-term non-emergency maintenance or repair activities as provided in Articles 12 and 13 of this Appendix. No more than one full-sized duct within any given conduit system cross-section shall be designated by SWBT as the maintenance duct. In those locations where, on the effective date of this Appendix, there is not a full-sized duct available to be used as a maintenance duct, SWBT will designate an inner duct, if one is available, as the maintenance duct although such inner duct may be too small to accommodate some of the cables occupying the conduit section in which such inner duct is located. The term "maintenance duct" does not include ducts and conduits extending from a SWBT manhole to customer premises. Maintenance ducts shall not be considered "available" (as defined in Section 3.06) for assignment to SWBT, CLEC, or joint users for purposes other than short-term use as contemplated in this section; provided, however, that SWBT may assign the duct currently designated as a maintenance duct if another suitable full-sized duct will be made available to serve as a replacement maintenance duct and may assign an inner duct currently designated as a maintenance duct if another inner duct will be made available to serve as a replacement maintenance duct. Maintenance duct designations may change from time to time and may or may not be reflected in SWBT's outside plant records. When only one usable full-sized duct remains in a conduit section, that duct shall be deemed to be the maintenance duct.

3.26 Make-ready work. The term "make-ready work" refers to all work performed or to be performed to prepare SWBT's poles, ducts, conduits, and rights-of-way and related facilities for the requested occupancy or attachment of CLEC's facilities. Make-ready work does

not include the actual installation of CLEC's facilities. "Make-ready work" includes, but is not limited to, clearing obstructions (e.g., by "rodding" ducts to ensure clear passage), the rearrangement, transfer, replacement, and removal of existing facilities on a pole or in a conduit system where such work is required to accommodate CLEC's facilities (as contrasted from work performed on SWBT's behalf in furtherance of SWBT's own business needs, or convenience). "Make-ready work" may require "dig-ups" of existing facilities and may include the repair, enlargement or modification of SWBT's facilities (including, but not limited to, conduits, ducts, handholes and manholes), consolidating services into fewer cables, or the performance of other work required to make a pole, anchor, duct, conduit, manhole, handhole or right-of-way usable for the initial placement of CLEC's facilities.

3.27 Manhole. The term "manhole" refers to an enclosure, usually below ground level and entered through a hole on the surface covered with a cast iron, cast aluminum, steel, or concrete manhole cover, which personnel may enter and use for the purpose of installing, operating, and maintaining facilities in a conduit. The term "handhole" refers to a structure similar in function to a manhole, but which is usually too small for personnel to enter. As used in this Appendix, the term "manhole" refers only to manhole structures owned or controlled by SWBT and does not include cables and other telecommunications equipment located within manhole structures.

3.28 Occupancy. The term "occupancy" refers to the physical presence of facilities on a pole, in a conduit or duct, or within a right-of-way.

3.29 Overlashing. The term "overlashing" refers to the practice of placing an additional cable or inner duct by lashing spinning wire over both existing cables and existing strands supporting those cables or inner ducts.

3.30 Person acting on CLEC's behalf. The terms "person acting on CLEC's behalf," "personnel performing work on CLEC's behalf," and similar terms include both natural persons and firms and ventures of every type, including, but not limited to, corporations, partnerships, limited liability companies, sole proprietorships, and joint ventures. The terms "person acting on CLEC's behalf," "personnel performing work on CLEC's behalf," and similar terms specifically include, but are not limited to, CLEC, its officers, directors, employees, agents, representatives, attorneys, contractors, subcontractors, and other persons or entities performing services at the request of or as directed by CLEC and its respective officers, directors, employees, agents, and representatives. An authorized contractor selected by CLEC to perform make-ready work shall be deemed to be a person acting on CLEC's behalf while performing such work at CLEC's request.

3.31 Person acting on SWBT's behalf. The terms "person acting on SWBT's behalf," "personnel performing work on SWBT's behalf," and similar terms include both natural persons and firms and ventures of every type, including but not limited to corporations, partnerships, limited liability companies, sole proprietorships, and joint ventures. The terms "person acting on SWBT's behalf," "personnel performing work on SWBT's behalf," and similar terms specifically

include, but are not limited to, SWBT, its officers, directors, employees, agents, representatives, attorneys, contractors, subcontractors, and other persons or entities performing services at the request or on behalf of SWBT and its respective officers, directors, employees, agents, and representatives. An authorized contractor selected by SWBT to perform make-ready work shall be deemed to be a person acting on SWBT's behalf while performing such work at SWBT's request.

3.32 Pole. The term "pole" refers to all SWBT poles subject to the Pole Attachment Act and the provisions of the Telecommunications Act of 1996 codified as 47 U.S.C. §§ 251(b)(4) and 271(c)(2)(B)(iii). Except as the context otherwise requires, the term "pole" refers only to utility poles and anchors which are either owned or controlled by SWBT and does not include cables and other telecommunications equipment attached to pole structures.

3.33 Pole Attachment. As defined in the Pole Attachment Act, 47 U.S.C. § 224(a)(4), the term "pole attachment" refers to "any attachment by a cable television system or provider of telecommunications service to a pole, duct, conduit, or right-of-way owned or controlled by a utility." In this Appendix, except as the context otherwise requires, the term "pole attachment" refers to any attachment by a cable television system or provider of telecommunications service to a pole (and associated anchors) owned or controlled by SWBT. The term "pole attachment" includes all such facilities attached to or supported by a SWBT pole, including but not limited to cables, risers and U-guards, equipment boxes, drop wires, anchors, bolts, clamps, drive rings, guys, hooks, strands, and other hardware affixed to the pole. Groupings of associated pole attachments for billing purposes shall be consistent with the Pole Attachment Act and applicable rules, regulations, and commission orders. Except as otherwise authorized by applicable FCC rules, regulations, or orders, CLEC's pole attachments occupying the same usable space (or otherwise associated with facilities occupying the same usable space on a pole) shall be treated as a single attachment for billing purposes.

3.34 Pole Attachment Act. The term "Pole Attachment Act" refers to those provisions of the Communications Act of 1934, as amended by the Telecommunications Act of 1996, now codified as 47 U.S.C. § 224, as those provisions may be amended from time to time.

3.35 Pre-license survey. The term "pre-license survey" refers to work and activities performed or to be performed by SWBT or by persons acting on SWBT's behalf for the primary purpose of:

- (a) confirming or determining the existing availability and capacity of a pole duct, conduit, or right-of-way and identifying capacity, safety, reliability, or engineering concerns, if any, relating to CLEC's application;
- (b) confirming or determining the extent, if any, to which modifications to SWBT's poles, ducts, conduits, or rights-of-way are required to accommodate CLEC's facilities;

- (c) confirming or determining what make-ready work, if any, will be required to prepare SWBT's poles, ducts, conduits, or rights-of-way to accommodate CLEC's facilities; and
- (d) estimating the costs, if any, that CLEC will be required to pay for any such make-ready work or facilities modifications.

3.36 Pre-occupancy survey. The term "pre-occupancy survey" refers to work and activities performed or to be performed by CLEC or persons acting on behalf of CLEC for the primary purpose of enabling CLEC to determine:

- (a) whether SWBT's poles, ducts, conduits, or rights-of-way, in their existing condition, are suitable for CLEC's intended use;
- (b) the extent, if any, to which modifications of SWBT's poles, ducts, conduits, or rights-of-way will be proposed by CLEC to expand the capacity of SWBT's poles, ducts, conduits, or rights-of-way to accommodate CLEC's facilities; and
- (c) what make-ready work, if any, is required to prepare the poles, conduits, or conduit system to accommodate CLEC's facilities.

3.37 Primary point of contact. The term "primary point of contact" refers to the persons designated by CLEC and SWBT, respectively, to coordinate arrangements for CLEC's access to SWBT's poles, ducts, conduits, and rights-of-way and records relating to such poles, ducts, conduits, and rights-of-way. SWBT's designated primary point of contact shall be the Utility Liaison Supervisor unless the parties have arranged for that function to be performed by a designated account representative who will serve as an intermediary between CLEC and the Utility Liaison Supervisor.

3.38 Rights-of-way. As used in this Appendix, the term "rights-of-way" refers generally to legal rights to pass over or use the land of another for limited purposes as defined in a statute, ordinance, easement, grant or other conveyance. Rights-of-way include, but are not limited to public rights-of-way authorizing SWBT to locate facilities on, under, or over public lands and roadways, servitudes created by private easements or obtained through the exercise of eminent domain authority enabling SWBT to pass over, place facilities on, and have rights of ingress and egress to the and of another. Rights-of-way also include easements which, at the time of land development or subdivision, were dedicated for use by public or private utilities and are being occupied, in whole or in part, by SWBT's facilities.

3.39 Sheath. The term "sheath" refers to an enclosed covering containing communications wires, fibers, or other communications media. A cable may include both inner and outer sheaths.

3.40 Spinning. The term "spinning" refers to a method of attaching a cable or innerduct to a supporting strand. "Spinning" is sometimes referred to as "lashing."

3.41 State. When capitalized, the term "State" (as used in terms such as "this State") refers to the State of Missouri.

3.42 State Commission. The term "State Commission" refers to the Missouri Public Service Commission.

3.43 Strand. The term "strand" refers to support wires, typically stranded together, or other devices attached to a pole and connecting that pole to an anchor or to another pole for the purpose of increasing pole stability or supporting wires, cables, and associated facilities. The term "strand" includes, but is not limited to, strands sometimes referred to as "anchor strands," "anchor/guy strands," "down guys," "guy strands," "pole-to-pole guys," and "messengers."

3.44 Telecommunications Act of 1996. The term "Telecommunications Act of 1996" refers to the Telecommunications Act of 1996, Pub. L. No. 104-104, 110 Stat. 56, enacted February 8, 1996.

3.45 Third party. The terms "third party" and "third parties" refer to persons and entities other than the parties to this Appendix (that is, persons and entities other than CLEC and SWBT).

3.46 Utility Liaison Supervisor ("ULS"). The terms "Utility Liaison Supervisor" and "ULS" refer to the person or persons designated by SWBT to be responsible for handling and processing requests for access to SWBT's poles, ducts, conduits, and rights-of-way in this State. The term "ULS" connotes responsibility for handling a function and is not a job title. Except as otherwise specifically provided in this Appendix or in the parties' interconnection agreement, if any, the ULS shall serve as CLEC's single point of contact for arranging access to SWBT's poles, ducts, conduits, and rights-of-way and access to SWBT's records relating to SWBT's poles, ducts, conduits, and rights-of-way. The Utility Liaison Supervisor for this State is identified in EXHIBIT VIII.

3.47 Vault. The term "vault" includes central office vaults and controlled environment vaults ("CEVs"). Vaults may be connected to, but are not considered part of, SWBT's conduit system. Access, if any, to vaults (and to ducts, conduits, and risers which serve no purpose other than to provide a means of entry to and exit from such vaults) shall be governed by the tariffs, agreements, or commission orders, if any, establishing arrangements for interconnection, collocation, and access to unbundled network elements, and not by this Appendix.

3.48 "Vicinity of ..." When used in terms such as "vicinity of SWBT's conduit system," "vicinity of SWBT's poles," "vicinity of SWBT's rights-of-way," or "vicinity of SWBT's poles, ducts, conduits, or rights-of-way," the term "vicinity of ..." includes sites on, within, near to, surrounding, or adjoining SWBT's poles, ducts, conduits, and rights-of-way.

These sites include, but are not limited to, all sites within a distance of 10 feet of any SWBT pole, duct, conduit, or right-of-way.

ARTICLE 4: NATURE AND SCOPE OF AGREEMENT

4.01 Scope of Agreement. This Appendix establishes procedures for grants of non-discriminatory access to SWBT poles, ducts, conduits, and rights-of-way located within this State, without regard to whether the site is located on public or private property.

4.02 No Transfer of Property Rights. Nothing contained in this Appendix or any license issued hereunder shall create or vest (or be construed as creating or vesting) in either party any right, title, or interest in or to any real or personal property owned by the other. The payment of fees and charges as provided by this Appendix and licenses issued hereunder shall not create or vest (or be construed as creating or vesting) in either party any right, title, or interest in or to any real or personal property owned by the other. No use, however extended, of SWBT's poles, ducts, conduits, or rights-of-way shall create or vest (or be construed as creating or vesting) in CLEC any right, title, or interest in or to any real or personal property owned by SWBT, and the placement of CLEC's facilities on or in SWBT's poles, ducts, conduits and rights-of-way shall not create or vest in SWBT any right, title, or interest in such facilities.

4.03 No Effect on SWBT's Right to Abandon, Convey or Transfer Poles, Ducts, Conduits, or Rights-of-Way. Except as provided in subsections (a)-(b) of this section, nothing contained in this Appendix or any license subject to this Appendix shall in any way affect SWBT's right to abandon, convey, or transfer to any other person or entity SWBT's interest in any of SWBT's poles, ducts, conduits, or rights-of-way.

- (a) SWBT shall give CLEC no less than 60 days written notice prior to abandoning, conveying, or transferring any pole, duct, conduit, or right-of-way (1) to or in which CLEC has attached or placed facilities pursuant to this Appendix or (2) with respect to which CLEC has been assigned pole attachment or conduit occupancy space. The notice shall identify the transferee, if any, to whom any such pole, duct, conduit, or right-of-way is to be conveyed or transferred.
- (b) Transfers or conveyances of poles, ducts, conduits, or rights-of-way to any entity controlling, controlled by, or under common control with SWBT or to any entity which acquires or succeeds to ownership of substantially all of SWBT's assets shall be subject to CLEC's rights under this Appendix and licenses subject to this Appendix.

4.04 No Effect on SWBT's Rights to Manage its Facilities. Except to the extent expressly provided by the provisions of this Appendix and subject to the provisions of the Telecommunications Act of 1996 and other applicable laws, rules, and regulations, nothing contained in this Appendix shall be construed as limiting or interfering with SWBT's rights to:

- (a) locate, relocate, move, replace, modify, maintain, and operate its own facilities (including but not limited to SWBT's poles, ducts, conduits and rights-of-way, and any of SWBT's facilities attached thereto or located therein) at any time and in any manner which SWBT deems appropriate to serve its own customers, avail itself of new business opportunities, or otherwise meet its own business needs; or
- (b) enter into new agreements or arrangements with other persons or entities permitting them to attach or place their facilities on or in SWBT's poles, ducts, conduits, or rights-of-way,

provided, however, that such relocations, moves, replacements, modifications, maintenance, and operations or new agreements or arrangements shall not interfere with CLEC's pole attachment, right-of-way, or conduit occupancy use rights provided pursuant to this Appendix.

4.05 No Effect on CLEC's Rights to Manage its Own Facilities. This Appendix shall not be construed as limiting or interfering with CLEC's right to conduct its normal business operations in serving its customers or to avail itself of new business opportunities except to the extent expressly provided by the provisions of this Appendix or by the Telecommunications Act of 1996 or other applicable laws, rules or regulations.

4.06 No Right to Interfere with Facilities of Others. Except to the extent expressly provided by the provisions of this Appendix or by the Telecommunications Act of 1996 or other applicable laws, rules, or regulations, the provisions of this Appendix shall not be construed as authorizing either party to this Appendix, or persons acting on their behalf, to rearrange or interfere in any way with the facilities of the other party or joint users or with the use of or access to such facilities by the other party or joint users.

ARTICLE 5: ACCESS TO RIGHTS-OF-WAY

5.01 Public Rights-of-Way. SWBT and CLEC agree that neither party has the right to restrict or interfere with the other party's access to public rights-of-way. SWBT and CLEC shall each be responsible for obtaining their own rights-of-way and permission to use real or personal property owned or controlled by any governmental body, subject to the procedures set forth in Section 5.03 below.

5.02 Private Rights-of-Way Not Owned or Controlled by SWBT. SWBT and CLEC agree that neither party has the right to restrict or interfere with the other party's access to private rights-of-way not owned or controlled by SWBT. Each party shall make its own, independent legal assessment of its right to enter upon or use the land or property of third-party property owners and shall bear all expenses, including legal expenses, involved in making such determinations, subject to the procedures set forth in Section 5.03 below.

5.03 Access to Associated Rights-of-Way. Each pole attachment and conduit occupancy license made under this Appendix shall include access to and use of all associated

rights-of-way, including, but not limited to, rights-of-way required by CLEC for ingress, egress, or other access to any sites where SWBT's solely or partly owned or controlled poles, manholes, conduit, ducts, or other parts of SWBT's solely or partly owned or controlled conduit system are located, but only to the extent, if any, that SWBT has the legal authority to grant such access and use. SWBT also agrees to provide nondiscriminatory access to rights-of-way containing Controlled Environment Vaults (CEVs), huts, cabinets, and other similar structures to the extent that collocation to such facilities is agreed or required by order of any court or governmental agency having jurisdiction over the subject matter. SWBT agrees that it shall place no restrictions on CLEC's ability to construct, maintain, and monitor its facilities at these sites that are more restrictive than those SWBT places on itself.

- (a) Although SWBT shall afford access to rights-of-way owned or controlled by it and permit CLEC to utilize SWBT's rights-of-way to the extent that SWBT has legal authority to do so, CLEC acknowledges that SWBT may not own or control certain rights-of-way to the extent necessary to permit CLEC full access to such rights-of-way. The following general principles shall be applied with respect to access to rights-of-way on third-party real estate:
- (1) CLEC shall first attempt to obtain right-of-way directly from the property owner.
 - (2) If SWBT has legal authority to permit access by CLEC to a right-of-way on third-party property, SWBT will not restrict CLEC's use of the right-of-way.
 - (3) If CLEC has the right of eminent domain under state law, CLEC shall independently attempt to obtain the right-of-way it seeks through the exercise of that right.
 - (4) If CLEC is unable to obtain access to a right-of-way under paragraphs (1), (2), and (3) above, CLEC will request in writing that SWBT exercise its right of eminent domain to condemn the right-of-way for CLEC's use and SWBT shall respond to CLEC's written request within 45 days. SWBT shall exercise its right of eminent domain on CLEC's behalf only if permitted to do so under applicable state law, and only if CLEC agrees to bear all costs and expenses, including but not limited to legal fees arising out of or in connection with the condemnation proceedings.
- (b) SWBT and CLEC agree that dark fiber and unused four-wire copper cable are not considered "poles, conduits, and rights-of-way".

5.04 Access to Rights-of-Way Incident to the Use of CEVs and Similar Structures. SWBT will provide CLEC nondiscriminatory access, consistent with the requirements of the Pole Attachment Act and Telecommunications Act of 1996, and as provided in Sections 5.03

above, to rights-of-way containing Controlled Environment Vaults (CEVs), huts, cabinets, and other similar structures. SWBT will place no restrictions on access to such rights-of-way that are more restrictive than those SWBT places on itself; provided, however, that neither party shall conduct activities on such rights-of-way which interfere with the facilities of the other party, with the privacy of communications carried over the other party's network, or with the other party's access to and use of its own facilities. This section relates only to access to rights-of-way and shall not be construed as granting access to the CEVs, huts, cabinets, and similar structures located on such rights-of-way. Access, if any, to CEVs, huts, cabinets, and similar structures, and to ducts, conduits, and risers which serve no purpose other than to provide a means of entering or exiting such structures, shall be governed by the tariff, agreement, or order, if any, granting CLEC access to such structures.

ARTICLE 6: SPECIFICATIONS

6.01 Compliance with Requirements, Specifications, and Standards. CLEC agrees that CLEC's facilities attached to SWBT's poles or occupying space in its ducts, conduits, and rights-of-way shall be attached, placed, constructed, maintained, repaired, and removed in full compliance with the requirements, specifications, and standards specified in this Appendix.

6.02 Design to Minimize the Need for Access to SWBT's Poles, Ducts, and Conduits. The parties shall each design their facilities to minimize the need for the parties to access SWBT's poles, ducts, and conduits.

6.03 Infrequent Construction Techniques and Connectivity Solutions. Unless precluded by documented engineering criteria or written guidelines SWBT applied to itself as of January 1, 1996, consistent with considerations of safety, reliability, and or engineering practices, SWBT agrees to permit CLEC at its own expense to utilize the following techniques to avoid high or unusual expenditures: (a) placement of pole attachments on both the "field" side and "road" side of a pole; (b) placement of extension arms or stand-off brackets on poles; and (c) building conduit branches into SWBT's conduit systems. CLEC acknowledges that use of the above techniques will be rare, and will be permitted only on a case-by-case basis.

6.04 Published Standards. SWBT and CLEC agree that the following standards equally apply to either party with respect to facilities attached to or placed in SWBT's poles, ducts, conduits, and rights-of-way and further agree that facilities shall be placed, constructed, maintained, repaired, and removed in accordance with, current (as of the date when such work is performed) editions of the following publications:

- (a) the Blue Book Manual of Construction Procedures, Special Report SR-TAP-001421, published by Bell Communications Research, Inc. ("Bellcore"), and sometimes referred to as the "Blue Book";
- (b) the National Electrical Safety Code ("NESC"), published by the Institute of Electrical and Electronic Engineers, Inc. ("IEEE"); and

- (c) the National Electrical Code ("NEC"), published by the National Fire Protection Association ("NFPA").

6.05 Additional Electrical Design Specifications: Conduit. The parties agree that, in addition to the specifications and requirements referred to in Sections 6.01-6.04 above, facilities placed in SWBT's conduit system after the effective date of this Appendix shall meet all of the electrical design specifications set forth in this section.

- (a) No facilities shall be placed in SWBT's conduit system in violation of FCC regulations, including regulations relating to electrical interference. In addition, neither party shall place any facility in SWBT's conduit system which causes or may cause electrical interference with the facilities of the other party or joint users sufficient to jeopardize network integrity or degrade the quality of any communications services offered by either party or a joint user. If either party is notified by the other party or a joint user that its facilities are causing, or have the potential to cause, unacceptable levels of electrical interference, the party notified shall either correct the problem, remove the facility, or initiate good faith negotiations with the complaining party or joint user to resolve the issue.
- (b) Facilities placed in SWBT's conduit system shall not be designed to use the earth as the sole conductor for any part of the circuits.
- (c) Facilities placed in SWBT's conduit system and carrying more than 50 volts AC (rms) to ground or 135 volts DC to ground shall be enclosed in an effectively grounded sheath or shield.
- (d) No coaxial cable shall be placed in SWBT's conduit system unless such cable meets the voltage limitations of Article 820 of the National Electrical Code.
- (e) Coaxial cable placed in SWBT's conduit system may carry continuous DC voltages up to 1800 volts to ground where the conductor current will not exceed one-half ampere and where such cable has two separate grounded metal sheaths or shields and a suitable insulating jacket over the outer sheath or shield. The power supply shall be so designed and maintained that the total current carried over the outer sheath shall not exceed 200 microamperes under normal conditions. Conditions which would increase the current over this level shall be cleared promptly.
- (f) CLEC shall not circumvent the corrosion mitigation measures of SWBT or joint users.

6.06 Additional Physical Design Specifications: Conduit. Facilities placed in SWBT's conduit system following the effective date of this Appendix shall meet all of the following physical design specifications:

- (a) Except as otherwise specifically agreed in this Appendix or licenses issued hereunder CLEC's facilities shall enter SWBT's conduit system at locations consistent with the physical design specifications that SWBT applies to itself (typically through a manhole) or at such other designated locations agreed upon in writing (e.g., through the licensing process) by the parties in accordance with Section 6.03 (infrequent construction techniques and connectivity solutions).
- (b) Cables bound or wrapped with cloth or having any kind of fibrous coverings or impregnated with an adhesive material shall not be placed in SWBT's conduit or ducts.
- (c) The integrity of SWBT's conduit system and overall safety of personnel require that "dielectric cable" be used within SWBT's conduit system when a cable facility utilizes a duct or route shared in the same trench by any electric transmissions facility such as the facilities of a power utility.
- (d) New construction splices in cables (including but not limited to fiber optic and twisted pair cables) shall be located in manholes, pull boxes or handholes.

6.07 Efficient Use of Conduit. To ensure efficient use of conduits, SWBT will, when cable diameters permit, install inner ducts in multiples that fully utilize duct space (typically three or four inner ducts in a full four-inch duct) as needed for SWBT's own business purposes and to accommodate CLEC and other joint users; provided, however, that SWBT shall not be required to install inner duct in anticipation of potential future requests for access by CLEC and other joint users.

6.08 Specifications Applicable to Connections: Conduit. Except as otherwise specifically agreed in this Appendix or licenses issued hereunder, or as mutually agreed upon by the parties in writing, the following specifications apply to connections of CLEC's conduit to SWBT's conduit system:

- (a) CLEC shall not bore, make, or enlarge any hole in, or otherwise structurally modify or alter any manhole, handhole, duct, conduit, or other facility which is part of SWBT's conduit system except as provided in this Appendix or licenses issued hereunder, or as mutually agreed upon by the parties in writing.
- (b) Nothing contained in subsection (a) shall be construed as precluding CLEC or qualified personnel acting on CLEC's behalf from reattaching cable racks or performing similar routine work which is minor in nature and associated with the placing and splicing of cable.

- (c) Where CLEC's duct or facility physically connects with SWBT's manhole, the section of CLEC's facility which connects to SWBT's manhole shall be installed by SWBT or its contractor at CLEC's expense (which shall be SWBT's actual costs or the price charged SWBT by the contractor). SWBT will perform this work in an interval consistent with the intervals SWBT performs work for itself. If SWBT's interval for beginning or completing this work does not meet CLEC's needs, CLEC as an authorized contractor may perform the work itself or use subcontractor(s) selected by CLEC from a list of mutually agreeable qualified "bidders" developed by SWBT and CLEC.
- (d) SWBT will have the option to monitor the entrance and exit of CLEC's facilities into SWBT's conduit system and the physical placement of CLEC's facilities in SWBT's conduit system. Notice requirements for, and expenses associated with, this monitoring are addressed in Section 6.11 of this Appendix.
- (e) If CLEC constructs or utilizes a duct connected to SWBT's conduit system, the duct and all connections between that duct and SWBT's conduit system shall be sealed to prevent the entry of gases or liquids into SWBT's conduit system. If CLEC's duct enters a building, it shall also be sealed where it enters the building and at all other locations necessary to prevent the entry of gases and liquids from the building into SWBT's conduit system.

6.09 General Requirements Relating to Personnel, Equipment, Materials, and Public Safety. The parties contemplate that CLEC, its contractors, and other persons acting on its behalf will perform work for CLEC on, within, and in the vicinity of SWBT's poles, ducts, conduits, and rights-of-way. The provisions of this section are intended to protect the integrity of the networks, facilities and operations of SWBT, CLEC and joint users, to protect the health and safety of persons working on, within, or in the vicinity of SWBT's poles, ducts, conduits, and rights-of-way, and to protect the public at large.

- (a) Neither party nor any person acting on such party's behalf shall permit any person to climb on or work on SWBT's poles or in the vicinity of SWBT's poles, or enter SWBT's manholes or work within or in the vicinity of SWBT's conduit system, unless such person has the training, skill, and experience required to recognize potentially dangerous conditions relating to the pole or conduit system and to perform the work safely.
- (b) Neither party nor any person acting on such party's behalf shall permit any person acting on its behalf to perform any work on, within, or in the vicinity of SWBT's poles, ducts, conduits, or rights-of-way without first verifying, to the extent practicable, on each date when such work is to be performed, that conditions at the work site (including but not limited to the physical condition of the pole or any part of SWBT's conduit system) are sufficiently safe for the work to be

- performed. If CLEC or any person acting on CLEC's behalf determines that the condition of the pole, duct, conduit, conduit system, or rights-of-way is not safe enough for the work to be performed, CLEC shall notify SWBT of the condition of the pole or conduit system in question and shall not proceed with the work until CLEC is satisfied that the work can be safely performed.
- (c) Neither party nor any person acting on such party's behalf shall knowingly permit defective equipment or materials to be used on, within, or in the vicinity of SWBT's poles, ducts, conduits, or rights-of-way.
 - (d) When CLEC or personnel performing work on its behalf are working on, within, or in the vicinity of SWBT's poles, ducts, conduits, or rights-of-way located within, under, over, adjacent to, or in the vicinity of streets, highways, alleys or other traveled rights-of-way, CLEC and all personnel performing work on CLEC's behalf shall follow procedures which CLEC deems appropriate for the protection of persons and property. CLEC and its contractors shall be responsible, at all times, for determining and implementing the specific steps required to protect persons and property at the site. CLEC or its designated contractor will provide all traffic control and warning devices required to protect pedestrian and vehicular traffic, workers, and property from danger. CLEC and its contractors shall have sole responsibility for the safety of all personnel performing work on CLEC's behalf, for the safety of bystanders, and for insuring that all operations conform to current OSHA regulations and all other governmental rules, ordinances or statutes.
 - (e) Neither party nor any persons acting on such party's behalf shall engage in any conduct which damages public or private property in the vicinity of SWBT's poles, ducts, conduits, or rights-of-way or creates a hazard or nuisance on such property (including but not limited to a hazard or nuisance resulting from any abandonment of or failure to remove its facilities or any construction debris from the property, failure to erect warning signs or barricades as may be necessary to give notice to others of unsafe conditions on the premises while work performed on its behalf is in progress, or failure to restore the property to a safe condition after such work has been completed).
 - (f) CLEC shall promptly suspend activities on, within, or in the vicinity of SWBT's poles, ducts, or conduits, if notified by SWBT that such activities create an unreasonable risk of injury to persons or property (including unreasonable risks of service interruptions). CLEC shall not resume such activities on or in the vicinity of CLEC's poles until CLEC is satisfied that the work may safely proceed and that any hazardous conditions at the site have been rectified and shall not resume such activities within or in the vicinity of SWBT's conduit system until both CLEC and SWBT are satisfied that the work may safely proceed and that any hazardous conditions at the site have been rectified. In the event that SWBT requires CLEC

- to suspend work activities and it is later determined that there was no reasonable basis for the work suspension, SWBT agrees to compensate CLEC for the cost resulting from the delay.
- (g) All personnel acting on CLEC's behalf shall, while working on or in SWBT's poles, ducts, conduits, or rights-of-way, carry with them suitable identification and shall, upon the request of any SWBT employee or representative, produce such identification.
 - (h) CLEC (and any person acting on CLEC's behalf) may report unsafe conditions on, within, or in the vicinity of SWBT's poles or conduit system to SWBT.

6.10 Specific Requirements Relating to Personnel, Equipment, Materials, and Construction Practices Within or in the Vicinity of SWBT's Conduit Systems. When SWBT or CLEC, their contractors, and other persons acting on their behalf perform work on, within, or in the vicinity of SWBT's ducts, conduits, and rights-of-way where such ducts or conduits are located, they will be guided by the following:

- (a) Except as may be mutually agreed upon by the parties in writing, CLEC shall not "rod" or clear any duct or inner duct in SWBT's conduit system other than a duct or inner duct assigned to CLEC. Following the assignment of a specific duct or inner duct to CLEC, CLEC may request that SWBT rod or clear the duct or inner duct. If the duct or inner duct cannot be cleared, SWBT shall assign to CLEC the next available duct or inner duct. CLEC's request for assignment of the next available duct shall be in writing, may be transmitted to SWBT via fax or other transmission media mutually agreed upon by the parties, and shall be processed within the same intervals applicable to the processing of similar requests by SWBT's own personnel.
- (b) Personnel performing work within SWBT's conduit system on either party's behalf shall not climb on, step on, or otherwise disturb the cables, air pipes, equipment, or other facilities located in any manhole or other part of SWBT's conduit system.
- (c) Personnel performing work within or in the vicinity of SWBT's conduit system (including any manhole) on either party's behalf shall, upon completing their work, make reasonable efforts to remove all tools, unused materials, wire clippings, cable sheathing and other materials brought by them to the work site.
- (d) All of CLEC's facilities shall be firmly secured and supported in accordance with Bellcore and industry standards and any applicable construction standards adopted by SWBT and applicable to SWBT's own facilities.

- (e) CLEC's facilities shall be plainly identified with CLEC's name in each manhole with a firmly affixed permanent tag that meets the identification standards set by SWBT for its own facilities.
- (f) Manhole pumping and purging required in order to allow work operations to proceed shall be performed in accordance with the requirements of Sections 6.14 and 6.15.
- (g) Planks or other types of platforms shall be supported only by cable racks.
- (h) Any leak detection liquid or device used by CLEC or personnel performing work on CLEC's behalf within or in the vicinity of SWBT's conduit system shall be of a type approved by SWBT and included on SWBT's then-current list of approved types of leak-detection liquids and devices; provided, however, that CLEC may use any type of leak detection liquid or device which meets Bellcore's published standards if SWBT has not provided CLEC SWBT's list of approved types of leak detection liquids or devices at least 60 days in advance of CLEC's work.
- (i) CLEC and its contractors shall be responsible for providing proper ventilation while work is being performed in SWBT's conduit system on CLEC's behalf. Except for protective screens, no temporary cover shall be placed over an open manhole unless it is at least four feet above the surface level of the manhole opening.
- (j) Smoking or the use of any open flame is prohibited in manholes, in any other portion of the conduit system, or within 10 feet of any open manhole entrance.
- (k) Artificial lighting, when required by CLEC, will be provided by CLEC. Only explosion-proof lighting fixtures shall be used.
- (l) Neither SWBT nor CLEC nor personnel performing work on its behalf shall allow any combustible gas, vapor, liquid, or material to accumulate in SWBT's conduit system (including any manhole) during work operations performed within or in the vicinity of SWBT's conduit system.
- (m) All parties shall abide by any laws, regulations, and ordinances regarding the use of spark producing tools, equipment, or devices (including but not limited to such tools as electric drills and hammers, meggers, breakdown sets, induction sets, and the like) in manholes or in any other portions of the conduit system.
- (n) Cable lubricants used in conduit systems shall be of a type or types approved by SWBT and included on SWBT's then-current list of approved types of cable lubricants; provided, however, that CLEC may use any type of cable lubricant which meets Bellcore's published standards if SWBT has not provided CLEC

- SWBT's list of approved types of cable lubricants at least 60 days in advance of CLEC's work.

6.11 Opening of Manholes and Access to Conduit. The following requirements apply to the opening of SWBT's manholes and access to SWBT's conduit system.

- (a) CLEC will notify SWBT not less than 48 hours in advance before entering SWBT's conduit system to perform non-emergency work operations. Such operations shall be conducted during normal business hours except as otherwise agreed by the parties. The notice shall state the general nature of the work to be performed. As a courtesy, CLEC shall, when feasible, provide SWBT with 10 working days advance notice before entering SWBT's conduit system.
- (b) An authorized employee or representative of SWBT may be present at any time when CLEC or personnel acting on CLEC's behalf enter or perform work within SWBT's manhole.
- (c) The parties contemplate that CLEC may need to perform operations in SWBT's conduit system other than during normal business hours and may occasionally require access to manholes on shorter notice than contemplated in subsection (a) above. Under these circumstances, CLEC shall notify SWBT as soon as is reasonably possible of its intent to enter and perform work in the conduit system and SWBT shall not, without due cause and justification, insist on literal compliance with the scheduling requirements of subsection (a) in such circumstances. SWBT will establish procedures enabling SWBT to receive notices from CLEC under this subsection 24 hours a day, seven days a week.
- (d) Each party must obtain any necessary authorization from appropriate authorities to open manholes for such party's own conduit work and operations therein.
- (e) Where CLEC personnel, certified based on industry standards, perform installation, maintenance and similar routine work at SWBT sites, SWBT may, at its option, send one or more employees to review such work. CLEC and SWBT shall share the cost of a single SWBT employee reviewing the work during emergency and non-emergency situations. SWBT will not be compensated by CLEC for any additional employees reviewing the work. The SWBT employees assigned for review and inspection of CLEC personnel work must be available during all normal business hours for such assignments to minimize inconvenience to CLEC. If the work at SWBT sites is performed by a contractor agreed upon by CLEC and SWBT, SWBT shall be responsible for the costs of its employees sent to inspect the contractor's work. However, if the CLEC personnel perform work at the site of an interconnection point where the participation of SWBT personnel is integral for the successful completion of the work, CLEC is responsible for paying the costs of SWBT personnel reasonably needed for such work.

6.12 OSHA Compliance. Each party agrees:

- (a) its facilities attached to SWBT's poles or placed in SWBT's ducts, conduits, and rights-of-way shall be constructed, placed, maintained, repaired, and removed in accordance with the Occupational Safety and Health Act (OSHA) and all rules and regulations promulgated thereunder and
- (b) all persons shall, when working on, within, or in the vicinity of SWBT's poles or conduit system, comply with OSHA and all rules and regulations thereunder.

6.13 Environmental Contaminants in SWBT's Conduit System. CLEC acknowledges that, from time to time, environmental contaminants may enter SWBT's conduit system and accumulate in manholes or other conduit facilities.

- (a) CLEC may, at its expense, perform such inspections and tests at the site of any pole, duct, conduit, or right-of-way occupied by or assigned to CLEC as CLEC may deem necessary to determine the presence at such sites of environmental contaminants. SWBT will assist CLEC, at CLEC's request and expense, in the performance of such inspections and tests.
- (b) SWBT makes no representations to CLEC or personnel performing work on CLEC's behalf that SWBT's poles, ducts, conduits, or rights-of-way will be free from environmental contaminants at any particular time. Before entering a manhole or performing any work within or in the vicinity of SWBT's conduit system or any other site subject to access under this Appendix, CLEC or personnel acting on CLEC's behalf shall independently determine, to their satisfaction, whether such contaminants are present and conduct their work operations accordingly.
- (c) Each party shall promptly notify the other of environmental contaminants known by such party to be present on, within or in the vicinity of poles, ducts, conduits, or rights-of-way occupied by or assigned to CLEC if, in the sole judgment of such party, such environmental contaminants create a serious danger to (1) the health or safety of personnel working within or in the vicinity of the conduit or (2) the physical condition of the other party's facilities placed or to be placed within the conduit.
- (d) Nothing contained in this Appendix (including but not limited to the acknowledgments and representations set forth in this section) shall relieve either party from its responsibility to comply with all applicable environmental laws or its responsibility for any liability arising out of such party's failure to comply with such laws.

6.14 Compliance with Environmental Laws and Regulations. CLEC and SWBT agree to comply with the following provisions relating to compliance with environmental laws and regulations.

- (a) All persons acting on CLEC's or SWBT's behalf, including but not limited to CLEC's or SWBT's employees, agents, contractors, and subcontractors, shall, when working on, within or in the vicinity of SWBT's poles, ducts, conduits, or rights-of-way, comply with all applicable federal, state, and local environmental laws, including but not limited to all environmental statutes, ordinances, rules, and regulations.

6.15 Compliance with Other Governmental Requirements (Including Aeronautical Navigation Safeguards). CLEC and SWBT agree that their facilities attached to SWBT's poles or placed in SWBT's ducts, conduits, and rights-of-way shall be constructed, placed, maintained, repaired, and removed in accordance with the ordinances, rules, and regulations of any governing body having jurisdiction of the subject matter (including but not limited to any valid ordinances, rules, and regulations requiring permits, certificates, licenses or the like). CLEC and SWBT shall comply with all statutes, ordinances, rules, regulations, and other laws requiring the marking and lighting of aerial wires, cables, and other structures to ensure that such wires, cables, and structures are not a hazard to aeronautical navigation.

6.16 Responsibility for Condition of Facilities. Each party will be responsible at all times for the condition of its facilities (including but not limited to those extending from SWBT's poles, ducts, conduits, or rights-of-way directly to any other location) and for its compliance with the requirements and specifications of this article and all applicable laws, rules, regulations, and ordinances.

ARTICLE 7: PRIMARY POINTS OF CONTACT, ACCESS TO RECORDS, AND PRE-OCCUPANCY INSPECTIONS

7.01 Designation of Primary Points of Contact. Each party will, at the request of the other party, designate a primary point of contact to facilitate communications between the parties and the timely processing of CLEC's applications for access to SWBT's poles, ducts, conduits, and rights-of-way located within this State. Designations of primary points of contact will be made by written notices including the name, title, address, phone number, and fax number of the person designated as the primary point of contact; provided, however, that unless and until a different designation is made, SWBT's primary point of contact shall be the Utility Liaison Supervisor identified in EXHIBIT VIII. Designation of primary points of contact pursuant to this section shall not affect notice requirements or other legal requirements set forth in other provisions of this Appendix or the parties' interconnection agreement.

7.02 Determinations by CLEC of Suitability and Availability. CLEC shall make its own, independent assessment of the suitability of SWBT's poles, ducts, conduits, and rights-of-way for CLEC's intended purposes.

7.03 Access to Records Relating to SWBT's Poles, Ducts, Conduits, and Rights-of-Way. This section establishes procedures through which certain records and information relating to SWBT's poles, ducts, conduits, and rights-of-way will be made available to CLEC. Access to such records and information shall be conditioned on CLEC's execution of a nondisclosure agreement equivalent in substance to the Nondisclosure Agreement (SWBT Pole, Duct, Conduit, and Rights-of-Way) attached to this Appendix as Exhibit V or such other nondisclosure agreement as shall be mutually acceptable to the parties, and no person acting on CLEC's behalf shall be granted access to such records and information without first signing such a nondisclosure agreement. CLEC shall reimburse SWBT for all reasonable costs incurred by SWBT in granting CLEC's requests for access to records and information under this section.

- (a) CLEC shall, after the effective date of this Appendix, have reasonable access to (1) SWBT's pole and conduit maps and records, (2) SWBT's cable plat maps, and, (3) in addition, other SWBT plant location records recording or logging assignments of pole, duct, and conduit space. CLEC shall be permitted to examine these records during regular business hours at a location where copies of such records are maintained or at such other location as may be mutually agreed upon by the parties. Access to such maps and records shall be by appointment only, and SWBT shall make such maps and records available for inspection by CLEC on two business days notice; provided, however, that CLEC shall, as a courtesy, whenever feasible, provide SWBT with additional advance notice (e.g., 10 business days) of its intent to examine such records.
- (b) The access described in subsection (a) shall include the right to make copies, at CLEC's expense, except for cable plat maps, which shall be made available for inspection only. In all instances, such access shall include the ability to take notes and make drawings with references to those maps and records. No references to cable counts or circuit information may be included in any such copies, notes, or drawings. With respect to other cable-specific or customer-specific information, CLEC copies, notes, or drawings may include only such information as needed for bona fide engineering and construction purposes (e.g., proposing cable consolidations and identifying plant discrepancies) and not for sales, marketing, competitive intelligence, competitive analysis, strategic planning, and similar activities. CLEC's copies, notes, and drawings may include estimates regarding the physical characteristics (such as size and weight) of cables when necessary to make engineering determinations regarding the capacity, safety, reliability, or suitability of SWBT's poles, ducts, conduits, and rights-of-way for CLEC's intended uses.

SWBT shall provide CLEC the best information available from SWBT's current pole and conduit maps and records, cable plat maps, and other outside plant and construction records. SWBT represents that such records reflect approximate

geographical locations of the facilities depicted and may not accurately reflect information such as:

- (1) the exact location of the facilities depicted;
- (2) the physical size, characteristics, or condition of the facilities depicted;
- (3) the ducts or inner ducts presently occupied, assigned, or available within any particular conduit segment or manhole;
- (4) the arrangement of facilities attached to a pole, the position of facilities suspended between poles or their relationship to each other and to the ground, or the positioning of cables and other facilities housed within ducts, conduits, manholes or other portions of SWBT's conduit system; and
- (5) other information which must be assessed before it can be determined that space is available on or in a pole, duct, or conduit for the attachment or occupancy of CLEC's facilities or that the pole, duct, or conduit depicted is suitable for CLEC's intended use.

7.04 Pre-Occupancy Inspection of Poles, Ducts, Conduits, and Rights-of-Way. CLEC shall be permitted to view and inspect specified poles, ducts, conduits, and rights-of-way on a pre-occupancy basis as provided in this section.

- (a) After the effective date of this Agreement, SWBT shall permit CLEC to view specified poles, ducts, conduits, and rights-of-way on a pre-occupancy basis. Nothing contained in this section shall preclude CLEC from visually inspecting SWBT's poles, ducts, conduits, or rights-of-way from any vantage point lawfully accessible to CLEC without SWBT's permission.
- (b) CLEC shall not enter any SWBT manhole for the purpose of performing a pre-occupancy inspection without complying with all applicable requirements set forth in Article 6 of this Appendix, including but not limited to the provisions of Section 6.11 relating to the opening of manholes.

ARTICLE 8: POLE, DUCT, AND CONDUIT SPACE ASSIGNMENTS

8.01 Selection of Space. SWBT must allow CLEC to select the space CLEC will occupy on poles or in conduit systems based upon the same criteria SWBT applies to itself and must provide CLEC information about the network guidelines and engineering protocols used by SWBT in determining the placement of facilities on poles and in conduits. In conduit systems owned or controlled by SWBT, maintenance ducts (as defined in Section 3.25) shall not be considered available for CLEC's use except as specifically provided elsewhere in this Appendix.

All other ducts, inner ducts, sub-ducts, and partitioned conduits which are not assigned or occupied shall be deemed available for use by SWBT, CLEC, and third parties entitled to access under the Pole Attachment Act.

8.02 Pole, Duct, and Conduit Space Assignments. Pole, duct, and conduit space selected by CLEC will be assigned to CLEC as provided in this section. Information received by SWBT in connection with this section shall be subject to the provisions of Article 27 of this Appendix (Confidentiality of Information).

- (a) On receipt of CLEC's application for a pole attachment or conduit occupancy license pole, duct, and conduit space selected by CLEC shall be assigned to CLEC for a pre-occupancy period not to exceed 12 months, beginning with the date of such assignment. The assignment (and date and time) of assignment shall be logged and recorded in the appropriate SWBT records. If such space has been provisionally assigned to CLEC as authorized below in subsection (b), the 12-month pre-occupancy assignment period will begin on the date the provisional assignment is recorded in SWBT's records or the date of SWBT's receipt of CLEC's notice of intent to occupy under subsection (b), whichever date first occurs.
- (b) SWBT shall, within 60 days after the effective date of this Appendix, adopt interim procedures which will enable pole, duct, and conduit space to be provisionally assigned to CLEC and other applicants prior to the submission of formal applications required pursuant to Section 9.02 of this Appendix. Where indicated below, the interim procedures shall apply, on a nondiscriminatory basis, to the assignment of space to SWBT as well as to CLEC and other applicants. SWBT may, on 60 days advance notice to CLEC, revise such interim procedures if such procedures prove to be unworkable, in which event CLEC may challenge SWBT's decision to revise or terminate such interim procedures in accordance with procedures available to CLEC under applicable federal and state laws and regulations. The procedures shall enable CLEC and other applicants, by written notice, to advise SWBT of their intent to occupy unassigned space which appears, from SWBT's records, to be available for assignment. Upon receipt of such notice, SWBT shall date-and time-stamp the notice and provisionally assign the space selected by CLEC or such other applicant by logging and recording the assignment (and date and time of assignment) in the appropriate SWBT records, which records will be available for inspection as provided in Section 7.03 of this Appendix. Space provisionally assigned to CLEC or such other applicant shall not be available for assignment to any other person or entity, including SWBT. Notwithstanding such provisional assignment, CLEC shall not occupy such space without first obtaining a license. The following additional requirements shall apply.

- (1) Before giving SWBT a notice of its intent to occupy unassigned space, CLEC shall make a good faith determination that it actually plans to occupy such space. The assignment process shall not be used by either party for the purpose of holding or reserving space which such party does not plan to use or for the purpose of precluding SWBT or any other person or entity from utilizing or having access to SWBT's poles, ducts, conduits, or rights-of-way.
- (2) With respect to unassigned conduit occupancy space, the notice must include all information required to enable SWBT and joint users, including other persons or entities which may from time to time seek space in the same ducts and conduits, to determine the specific space which CLEC desires to occupy. The notice must, therefore, include, at a minimum, the following information:
 - (i) the specific conduit sections, and each manhole, to be occupied;
 - (ii) the number of ducts, and number of inner ducts, to be occupied by CLEC within each conduit section;
 - (iii) the physical size (diameter) of the cables to be placed in such duct, if known, or the maximum and minimum sizes of the cables which may be placed if more than one size cable is being considered for the space to be occupied;
 - (iv) the anticipated use by CLEC of any infrequent construction techniques and connectivity solutions authorized under Section 6.03 to avoid high or unusual expenditures;
 - (v) CLEC's best estimates of the dates when CLEC plans to begin and complete construction at the sites specified in the notice; and
 - (vi) if applicable, a conspicuous statement (e.g., the words "immediate occupancy" in capital letters) or indication that CLEC intends to occupy the space before the issuance of a license, as provided in Section 8.03 of this Appendix.
- (3) With respect to unassigned pole space, such notice must include all information required to enable SWBT and other joint users, including other persons or entities seeking space on the same poles, to determine the specific space which CLEC desires to occupy. The notice must, therefore, include, at a minimum, the following information:
 - (i) the specific poles to be occupied;

- (ii) the specific space on each pole to be occupied, including the height (distance from the ground) of the attachment and the side (road or field) where the attachment is to be made;
 - (iii) the anticipated number and types of cables to be attached, together with the anticipated physical size (diameter) and weight (weight per foot) of such cables, and the anticipated number and types of strands, if any, to be used to support the cables, such information to be sufficient to give notice to SWBT and other joint users of the remaining space on the pole available and what facilities modification, capacity expansion, or make-ready work may be required of subsequent applicants as a result of the provisional assignment of space to CLEC;
 - (iv) the anticipated use by CLEC of any infrequent construction techniques and connectivity solutions authorized under Section 6.03 to avoid high or unusual expenditures;
 - (v) CLEC's best estimates of the dates when CLEC plans to begin and complete construction at the sites specified in the notice;
 - (vi) if applicable, a conspicuous statement (e.g., the words "immediate occupancy" in capital letters) or indication that CLEC intends to occupy the space before the issuance of a license, as provided in Section 8.03 of this Appendix.
- (4) No later than 30 days after giving such notice, CLEC shall file an application under Section 9.02 or the provisional assignment shall lapse.
- (5) As stated in Section 7.03(b), SWBT does not represent that its records accurately reflect the information necessary to enable CLEC to rely upon a records-based assignment process. SWBT shall have no duty to verify that space provisionally assigned pursuant to this subsection is actually available until CLEC has formally applied for the space and SWBT has completed the pre-license survey.
- (c) Assignments made prior to the issuance of a license shall be provisional assignments and shall be subject to modification if it is subsequently determined that the space selected by CLEC is already occupied or that a different assignment is required to comply with SWBT's standards for assigning pole, duct, and conduit occupancy space.

- (d) CLEC's obligation to pay semi-annual pole attachment or conduit occupancy fees shall commence from the date the assignment or provisional assignment is logged and recorded in the appropriate SWBT records.
- (e) During the 12-month assignment period following the date space is assigned to CLEC and entered into the appropriate SWBT record, SWBT shall not occupy or use such space without CLEC's permission, shall not assign such space to any party other than CLEC, and shall not knowingly permit any party other than CLEC to occupy or use such space without CLEC's permission except as otherwise specifically provided in this Appendix. The assignment to CLEC shall automatically lapse 12 months after the date the assignment has been entered into the appropriate SWBT record if CLEC has not occupied such assigned space within such 12-month period; provided, however, that if CLEC's failure to occupy the space within such 12-month period results from SWBT's failure to perform make-ready work on schedule, the parties shall negotiate a single extension of the assignment period, which extension shall not extend the assignment period beyond three months from the date of completion of SWBT's make-ready work; and, provided further, that if CLEC can demonstrate that its failure to occupy the space within such 12-month period results from the actions of SWBT or third parties other than persons acting on CLEC's behalf, or from acts of God, the assignment may be extended for a period no longer than three months from the date CLEC is first able to commence construction activities at the site involved. Assignments to third parties shall be subject to the same rules applicable to CLEC under this subsection. Extensions permitted under this subsection must be requested in writing before expiration of the original 12-month period and shall be recorded on the appropriate SWBT records available for inspection under Section 7.03.
- (f) SWBT may assign space to itself by making appropriate entries in the same records used to log assignments to CLEC and third parties. If SWBT assigns pole, duct, or conduit space to itself, such assignment shall automatically lapse 12 months after the date the assignment has been entered into the appropriate SWBT record if SWBT has not occupied such assigned space within such 12-month period; provided, however, that if SWBT's failure to occupy the space within such 12-month period results from the actions of CLEC or third parties other than persons acting on SWBT's behalf, or from acts of God, SWBT's assignment may be extended for a period no longer than three months from the date SWBT is able to commence construction at the site involved. Extensions permitted under this subsection must be recorded before expiration of the original 12-month period on the appropriate SWBT records available for inspection under Section 7.03.
- (g) If facilities modifications, capacity expansions, or other make-ready work are required due to the assignment of space to CLEC or SWBT under this section, the party to whom such space has been assigned shall reimburse the person or entity

- incurring the costs for such facilities modifications, capacity expansions, or make-ready work, if the party to whom such space has been assigned fails to occupy the assigned space within the 12-month assignment period or any extension thereof.
- (h) Except as provided in subsections (e)-(f) above, assignments shall not be extended, renewed, or sequentially repeated in any manner (other than by actual occupancy) that enables CLEC, SWBT, or any joint user to preclude access by others to unused pole attachment or conduit occupancy space for any period greater than 12 months after the date of initial assignment.
- (i) At CLEC's election, CLEC may file an application for access which specifically requests that the space sought by CLEC not be assigned to CLEC immediately and not be recorded immediately in the SWBT records available for inspection by other telecommunications carriers, cable television systems, or other providers of telecommunications services under Section 7.03 of this Appendix. In that event, the space sought by CLEC will not be assigned to CLEC and will remain available for assignment to others without restriction until such time as such space is formally assigned to CLEC in accordance with CLEC's written instructions and the assignment is recorded in the records available for inspection under Section 7.03. The assignment shall be made no later than the date of issuance to CLEC of a license confirming that CLEC has the right to occupy the space described in the license. In the event that CLEC elects to proceed under this subsection, CLEC's obligation to pay pole attachment and conduit occupancy fees shall not commence until the date the assignment is recorded in the appropriate SWBT records and CLEC shall bear the risks that (1) the space sought by CLEC will be assigned to and occupied by another person or entity or (2) circumstances will occur which may require that SWBT reevaluate CLEC's application and repeat the field inspection portion of the pre-license survey at CLEC's expense.

8.03 Immediate Occupancy. SWBT shall, within 60 days after the effective date of this Appendix, adopt interim procedures which will provide CLEC the ability to attach or place facilities on or in SWBT's poles, ducts, conduits, and rights-of-way on an immediate basis when such space is available for CLEC's use and no make-ready work or infrequent construction techniques or connectivity solutions are required. SWBT may, on 60 days advance notice to CLEC, revise or terminate such interim procedures if they prove to be unworkable, in which event CLEC may seek renegotiation of this Appendix or challenge SWBT's decision in accordance with procedures available to CLEC under applicable federal and state laws, regulations, and commission orders. The special procedures established under this section shall supplement, rather than replace, the regular assignment and licensing procedures set forth in Articles 8-10 of this Appendix, are intended to be used only under special circumstances (e.g., when the regular procedures allow insufficient time to meet customer service commitments or resolve non-routine construction or network contingencies), shall not be used on a routine basis, and shall be consistent with subsections (a)-(f) below.

- (a) Upon giving SWBT the notice required by this subsection, CLEC may immediately occupy space assigned or provisionally assigned to CLEC pursuant to Section 8.02 of this Appendix. The notice shall be contained in either a notice of intent to occupy as provided in Section 8.02(b) or a license application under Section 9.02. CLEC shall not give such notice or occupy such space without first reviewing SWBT's records and determining that the records reflect that the space sought is available.
- (b) CLEC shall not occupy space which has not been assigned or provisionally assigned to CLEC. The assignment must be recorded on the appropriate SWBT records, as provided in Section 8.02, prior to CLEC's occupancy. If CLEC subsequently determines that the records are inaccurate and that the space assigned to CLEC is not available, or that the space assigned is not suitable for CLEC's intended use, CLEC shall, within one business day, notify SWBT in writing that it no longer intends to occupy the space earlier assigned and is releasing the assignment. Except as otherwise provided in this subsection, CLEC shall not occupy other space on the pole or in the duct or conduit without first obtaining an assignment or provisional assignment of the space which CLEC will occupy. To avoid high or unusual expenditures resulting from unanticipated conditions at the site, CLEC may occupy space not assigned to CLEC subject to the following terms and conditions.
- (1) CLEC may occupy the next available space shown on SWBT's records as available at the time of CLEC's last review of the records. CLEC shall not knowingly occupy space occupied by or assigned to SWBT or any third party without consent of the party to whom the space has been assigned.
 - (2) Within one business day after occupying such space, CLEC shall submit to SWBT a written notice of intent to occupy or an application for the space occupied showing the reason for CLEC's use of the space occupied.
 - (3) CLEC shall bear the risk that space occupied by CLEC pursuant to this section was assigned to SWBT or a third party during the period between CLEC's last review of the records and CLEC's occupancy of such space. After occupying space not previously assigned to CLEC, CLEC shall review the records and promptly notify the affected party if CLEC determines that it has occupied space assigned to such party. At the request of the party to whom such space has been assigned, CLEC shall, within 24 hours, or within such other period of time mutually agreed to by the parties affected, remove its facilities from the space in question if the parties affected cannot reach an acceptable alternative solution. SWBT and CLEC anticipate that all parties affected will act in good faith to work out acceptable solutions and that the parties affected will not insist on

strict adherence to the 24-hour removal requirement unless there is a legitimate business need for compelling removal within such time period.

- (4) SWBT shall be entitled to recover from CLEC actual costs, if any, directly incurred by SWBT as a result of CLEC's decision under this subsection to occupy space subject to a valid prior assignment to SWBT. CLEC shall indemnify, on request defend, and save SWBT harmless from any injury, loss, damage, liability, or claim asserted against SWBT by any third party resulting from CLEC's decision under this subsection to occupy space assigned to such third party.
- (c) Nothing in this section authorizes CLEC to place its facilities on or in any pole, duct, or conduit space already occupied by the facilities of SWBT or a third party, even if the presence of such facilities is not reflected on SWBT's records.
- (d) Nothing in this section authorizes CLEC, without first obtaining SWBT's written authorization, to (1) place its facilities on any pole or in any duct or conduit that requires make-ready work (other than third-party make-ready work arranged directly by CLEC) or (2) utilize any infrequent construction technique or connectivity solution described in Section 6.03.
- (e) If CLEC has not done so already, within 24 hours after occupying space pursuant to this section, CLEC will submit to SWBT an application for the space occupied as provided in Section 9.02 of this Appendix. The application may be submitted by fax.
- (f) CLEC will bear all risks resulting from the possibility that assigned space which appears from the records to be available is not available or in suitable condition to be used by CLEC and shall indemnify, on request defend, and hold SWBT harmless from any injury, loss, damage, claim, or liability (including but not limited to third-party claims) resulting from CLEC's occupancy of space in violation of this section.

ARTICLE 9: APPLICATIONS AND PRE-LICENSE SURVEYS

9.01 Licenses Required. Except as otherwise specifically permitted in this Appendix, CLEC shall apply in writing for and receive a license before attaching facilities to specified SWBT poles or placing facilities within specified SWBT ducts or conduits, manholes, or handholes. License applications and information received by SWBT in connection with such applications shall be subject to the provisions of Article 27 of this Appendix (Confidentiality of Information).

9.02 Application Form. To apply for a pole attachment or conduit occupancy license under this Appendix, CLEC shall submit to SWBT two signed copies of the appropriate

application forms. SWBT represents that the forms specified in subsections (a) and (b) are forms in use prior to the effective date of this Appendix and that SWBT plans to revise such forms to conform to the provisions of this Appendix and to streamline the application process. The parties therefore agree that the forms specified in subsections (a) and (b) shall be interim forms only. SWBT reserves the right to change the format and content of these forms upon 60 days written notice to CLEC.

- (a) To apply for a pole attachment license, CLEC shall submit to SWBT two signed copies of SWBT's Form SW-9434 ("Access Application and Make-Ready Authorization") together with completed Form SW-9433. An application for a pole attachment license shall not be complete or subject to processing by SWBT until these forms have been submitted to SWBT; provided, however, that such forms shall be deemed to be substantially complete if they contain the information specified in subsections (c)-(g) below, as applicable. Copies of Forms SW-9433 and SW-9434, are attached to this Appendix as parts of Exhibit III.
- (b) To apply for a conduit occupancy license, CLEC shall submit to SWBT two signed copies of SWBT's Form SW-9434 ("Access Application and Make-Ready Authorization") together with completed Form SW-9435 ("Conduit Occupancy"). An application for a conduit occupancy license shall not be complete or subject to processing by SWBT until these forms have been submitted to SWBT; provided, however, that such forms shall be deemed to be substantially complete if they contain the information specified in subsections (c)-(g) below, as applicable. Copies of Forms SW-9434 and SW-9435, are attached to this Appendix as parts of Exhibit III.
- (c) Each application for a license under this Appendix shall include the following information, at a minimum:
 - (1) the poles, ducts, and conduits (including all manholes) along CLEC's proposed route to or within which CLEC desires to attach or place its facilities;
 - (2) a description of the facilities to be attached to SWBT's poles and a description of the facilities to be placed within each component of SWBT's conduit system (including but not limited to ducts, conduits, manholes, and handholes) along the proposed route; and
 - (3) for poles, the proposed points of attachment.
 - (4) if applicable, a conspicuous notation that the space requested is not to be assigned (or billed) to CLEC until SWBT has received CLEC's written instruction to make such assignment or issued a license authorizing CLEC to occupy the space requested; and

- (5) if applicable, a conspicuous statement (e.g., the words "immediate occupancy" in capital letters) or indication that CLEC intends to occupy the space before the issuance of a license, as provided in Section 8.03 of this Appendix.
- (d) Facilities descriptions which apply to multiple pole attachments or conduit occupancies need only be described once on any form. Facilities descriptions shall include, at a minimum, the following information:
 - (1) the number and types of cables, including the physical size (diameter) and weight (weight per foot);
 - (2) the number and types of strands, if any, which will be used to support the cables, including the rated holding capacity expressed in thousand pound increments (e.g., 2.2M) of such strands; and,
 - (3) sufficient information to identify and describe the physical characteristics (size, dimensions, and weight) of apparatus enclosures and other facilities to be attached to SWBT's poles or placed in SWBT's conduit system.
- (e) When it appears to CLEC that facilities modification, capacity expansion, or make-ready work, may be required to accommodate CLEC's access requests, CLEC shall describe the facilities modification, capacity expansion or make-ready work which CLEC proposes. CLEC shall also describe its intent to use any infrequent construction techniques or connectivity solutions under Section 6.03 to avoid high or unusual expenditures and its reasons for the utilization of such techniques or solutions.
- (f) CLEC acknowledges that the poles along a particular pole line or route may include poles owned by firms (such as electric utilities) other than SWBT, that it may be necessary for SWBT to rearrange its facilities or perform other make-ready work on poles other than poles it owns or controls in order to accommodate CLEC's request for access to SWBT's poles and that, at the time an application is submitted, it may be difficult for CLEC to determine with certainty whether a particular pole is owned or controlled by SWBT or by another entity. Accordingly, the application shall, to the extent feasible, identify all poles utilized by SWBT (without regard to ownership) along the proposed route.
- (g) Each application for a license under this Appendix shall be accompanied by a construction schedule showing CLEC's projected dates for beginning and completing construction at the sites specified in the application. Information on this schedule may be used by SWBT's engineering and outside plant construction personnel in scheduling work required to process CLEC's applications and

scheduling such capacity expansions, make-ready work, and facilities modifications, if any, as may be necessary to accommodate CLEC's facilities.

9.03 Cooperation in the Application Process. The orderly processing of applications submitted by CLEC and other parties seeking access to SWBT's poles, ducts, conduits, and rights-of-way requires good faith cooperation and coordination between SWBT's personnel and personnel acting on behalf of CLEC and other firms seeking access. The parties therefore agree to the following transitional procedures which shall remain in effect during the term of this Appendix unless earlier modified by mutual agreement of the parties.

- (a) Before submitting a formal written application for access to SWBT's poles, ducts, conduits, and rights-of-way, CLEC shall make a good faith determination that it actually plans to attach facilities to or place facilities within the poles, ducts, conduits, or rights-of-way specified in the application. Applications shall not be submitted for the purpose of holding or reserving space which CLEC does not plan to use or for the purpose of precluding SWBT or any other provider of telecommunications services from using such poles, ducts, conduits, or rights-of-way.
- (b) CLEC shall only submit applications for access to poles, ducts, conduits, and rights-of-way which it plans to use within one year following the date access is granted and will use its best efforts to submit applications in an orderly manner in accordance with CLEC's needs. If CLEC contemplates the need to submit more than 10 applications within any 45-day period with respect to poles, ducts, conduits, and rights-of-way within the territory of any single SWBT construction district, CLEC shall give SWBT advance notice as promptly as is reasonably practicable.
- (c) No more than 300 poles (and their associated anchors and anchor/guy strands) shall be the subject of any single pole attachment license application.
- (d) No more than 20 manholes shall be the subject of any single conduit occupancy license application.

9.04 CLEC's Priorities. When CLEC has multiple applications on file within a single SWBT construction district, CLEC shall, at SWBT's request, designate its desired priority of completion of pre-license surveys, capacity expansions, make-ready work, and facilities modifications with respect to all such applications.

9.05 Pre-license Survey. A pre-license survey (including a review of records and field inspection, if necessary) will be completed by SWBT after CLEC has submitted its written license application as specified in Section 9.02 of this Appendix. SWBT will not, without due cause and justification, repeat pre-occupancy survey work performed by CLEC.

- (a) The field inspection portion of the pre-license survey, which includes the visual inspection of existing pole and conduit facilities, shall be performed by SWBT or its authorized representative. Primary purposes of the field inspection will be to enable SWBT to (1) confirm or determine the facilities modification, capacity expansion, and make-ready work, if any, necessary to accommodate CLEC's facilities; (2) plan and engineer the facilities modification, capacity expansion, and make-ready work, if any, required to prepare SWBT's poles, ducts, conduits, rights-of-way, and associated facilities for CLEC's proposed attachments or occupancy, and (3) estimate the costs associated with such facilities modification, capacity expansion, or make-ready work. SWBT may dispense with the field inspection if it appears that the information necessary to process CLEC's license application is already available from existing sources, including the application forms and such other information as may be available to SWBT. If CLEC has occupied the space requested before the issuance of a license, a post-installation inspection of CLEC's facilities may be performed, in place of the field inspection portion of the pre-license survey, to determine whether such facilities are in compliance with the specifications of Article 6 and other provisions of this Appendix. In performing such inspection, SWBT will not, without due cause and justification, repeat pre-occupancy survey work performed by CLEC.
- (b) The administrative processing portion of the pre-license survey (which includes processing the application and reviewing records) will be performed by SWBT.
- (c) Before performing any portion of the pre-license survey, SWBT shall obtain CLEC's written authorization to perform such work. Authorization may be given, when possible, when the application is submitted.

ARTICLE 10: ISSUANCE AND DENIAL OF LICENSES

(INCLUDING FACILITIES MODIFICATIONS, CAPACITY EXPANSIONS, AND MAKE-READY WORK)

10.01 Response Within 45 Days. Within 45 days of CLEC's submission of a license application pursuant to Section 9.02 of this Appendix, or within such other period of time as may be mutually agreed upon in writing by the parties, SWBT shall respond to the application. The response shall state whether the application is being granted or denied. If denial is anticipated, or if SWBT personnel involved in the processing of CLEC's request for access become aware of hazardous substances at the site requested by CLEC, SWBT shall promptly advise CLEC and shall, at CLEC's request, discuss alternatives to denial and issues associated with the presence of such hazardous substances.

- (a) If access is granted, SWBT shall, no later than 45 days after CLEC's submission of the license application, further advise CLEC in writing (1) what facilities modifications, capacity expansions, or make-ready work, if any, will be required

- to prepare SWBT's pole or conduit facilities (2) provide CLEC an estimate of charges for such facilities modifications, capacity expansions, or make-ready work, (3) disclose to CLEC any hazardous substances known by SWBT to be present at the site.
- (b) If access is denied, SWBT will confirm the denial in writing by the 45th day after the receipt by SWBT of CLEC's completed application. The denial of access shall be specific, shall include all relevant evidence and information supporting the denial, and shall explain how such evidence and information relates to a denial of access for reasons of lack of capacity, safety, reliability, or generally applicable engineering purposes. If CLEC in its completed application sets forth in writing specific proposals for expanding capacity, the denial statement shall specifically address such proposals.
 - (c) CLEC agrees that if, at any time prior to the 45th day, it has determined that it no longer seeks access to specific poles, ducts, or conduit facilities, CLEC shall promptly withdraw or amend its application, thereby minimizing the administrative burdens on SWBT of processing and responding to the application.
 - (d) Notwithstanding the 45-day deadline, SWBT will, pursuant to Section 8.03 of this Appendix, make available to CLEC for immediate occupancy any duct, conduit, or pole space not currently assigned, not designated as the maintenance duct, and not subject to applicable make-ready requirements. Availability shall be based on the appropriate SWBT records to be maintained by SWBT but which will be made available for viewing by CLEC on two business days notice as provided in Section 7.03 of this Appendix. CLEC will bear all risks resulting from the possibility that space which appears from the records to be available is not in suitable condition to be used by CLEC.
 - (e) If SWBT fails to respond in writing within 30 days of SWBT's documented receipt of a license application pursuant to Section 9.02 of this Appendix, or within such other period of time as may be mutually agreed upon in writing by the parties, CLEC may by written notice inquire whether SWBT intends to deny CLEC's request for access. After such notice has been given and receipt by SWBT of a properly submitted license application has been confirmed, SWBT's failure to respond in writing within 15 days after receipt of the notice shall be deemed to constitute approval of the request for access. In such event, CLEC shall be entitled to occupy the space requested without the formality of a license; provided, however, that nothing contained in this subsection shall authorize CLEC to occupy space already occupied or subject to a prior valid space assignment to SWBT or any third-party; and provided further that nothing in this subsection authorizes CLEC, without first obtaining SWBT's written authorization, to (1) place its facilities on any pole or in any duct or conduit that requires make-ready work (other than third-party make-ready work arranged

- directly by CLEC) or (2) utilize any infrequent construction technique or connectivity solution described in Section 6.03.

10.02 Obligation to Construct or Modify Facilities; Capacity Expansions. The parties agree that SWBT may grant access subject to CLEC's approval of such make-ready work or facilities modifications as may be required to expand capacity to accommodate CLEC's request, in which event CLEC shall either accept such conditions, initiate good faith negotiations to explore other potential accommodations, or withdraw its request for access. If SWBT does not offer to expand capacity and denies CLEC's request for access, SWBT shall promptly notify CLEC of such determination. SWBT shall not deny CLEC's request for access on lack of capacity grounds when capacity can be expanded as provided in this section and in Section 6.03 of this Appendix dealing with infrequent construction techniques and connectivity solutions:

- (a) SWBT agrees to modify its outside plant facilities to the extent that CLEC agrees to pay for the modification at cost, such as but not limited to cable consolidations, as long as such modifications are consistent with capacity, safety, reliability, and engineering considerations which SWBT would apply to SWBT if the work were performed for its own benefit. SWBT may recover from CLEC the costs of modifying its outside plant facilities for CLEC's space. SWBT may not require payment of the full amount in advance. CLEC will pay half of the contractors' costs after 50% completion of work, and the remainder at completion. To facilitate the sharing of costs by all parties benefiting from the modification, SWBT will establish a methodology whereby CLEC will be reimbursed on a pro rata basis for any portion of the facility later used by SWBT and other telecommunications providers, including, but not limited to, telecommunications carriers and cable television systems.
- (b) SWBT agrees, at its own expense, to install inner duct in a timely manner to accommodate CLEC's space needs in accordance with the same time interval SWBT provides to itself. If SWBT's interval for beginning or completing make-ready work does not meet CLEC's needs, CLEC, as a qualified contractor, may perform the inner-duct installation itself or utilize subcontractor(s) selected by CLEC from a list of mutually agreeable qualified "bidders" developed by SWBT and CLEC. When inner duct is installed by CLEC or an authorized contractor in SWBT's conduit system, SWBT shall provide the inner-ducting materials to be installed and CLEC shall bear all other installation expenses. CLEC shall give SWBT sufficient advance notice of the materials needed to enable SWBT to provide such materials to CLEC on a timely basis. CLEC shall return all unused materials, including unused inner duct and reels, to SWBT or purchase them from SWBT. Inner duct installed by CLEC or an authorized contractor shall be installed in accordance with the same standards and practices which would be followed if the inner duct were being installed by SWBT or SWBT's contractors. CLEC will indemnify SWBT for damages, resulting from CLEC's self-provisioning of the inner-duct.

- (c) SWBT agrees to, remove cables at its expense that are retired or inactive (dead) to free-up requested duct and pole space, provided that such removal is reasonably feasible (i.e. cable pulls easily without incident). If a section of cable is "frozen" in a duct and would require excavation to remove, CLEC, at its option, may excavate the obstruction or request that SWBT excavate the obstruction. The excavation would be at CLEC's expense; removal of the remainder of the cable would be at SWBT's expense.

10.03 Issuance of Licenses and Immediate Access When No Make-ready Work is Required. If, on the basis of CLEC's representations or SWBT's field inspection, if any, SWBT determines that no make-ready work is necessary to accommodate CLEC's facilities, SWBT will issue a license without performing make-ready work and pole attachment or conduit occupancy space will be made available to CLEC for immediate occupancy. Immediate occupancy prior to the issuance of a license shall be governed by Section 8.03.

10.04 Performance of Make-ready Work. Except as otherwise specifically provided in Section 10.02 and in this section, make-ready work shall be performed by SWBT or by contractors, subcontractors, or other persons acting on SWBT's behalf and shall be performed by SWBT in accordance with the same time intervals which would be applicable if SWBT were performing the work for itself.

- (a) CLEC and SWBT will mutually establish and maintain a list of authorized contractors who may be selected by CLEC to perform make-ready work when SWBT's interval for beginning or completing such make ready work does not meet CLEC's needs.
- (b) If SWBT's interval for beginning or completing make-ready work does not meet CLEC's needs, CLEC may, as an authorized contractor, perform the make-ready work itself or arrange for the work to be performed by an authorized contractor selected by CLEC from the applicable list of authorized contractors. Subject to the availability of personnel, CLEC may also request that SWBT perform the work on an expedited basis; provided, however, that make-ready work will not be performed on an expedited basis unless CLEC first approves any overtime or premium rates or charges associated with performance of the work on an expedited basis.
- (c) From time to time, additional contractors, subcontractors or other vendors may be approved by CLEC and SWBT to perform make-ready work in the event that the workload exceeds the capacity of the authorized contractors on the approved list to perform the make-ready work in a timely manner.

- (d) Nothing contained in this section authorizes CLEC, any authorized contractor selected by CLEC, or any other person acting on CLEC's behalf to consolidate SWBT's cables.

10.05 Make-ready Work. If SWBT determines that make-ready work will be necessary to accommodate CLEC's facilities, SWBT shall promptly notify CLEC of the make-ready work proposed to enable the accommodation of CLEC's facilities.

- (a) The notice shall be given in writing no later than 45 days after the receipt by SWBT of CLEC's completed application pursuant to Section 9.02 of this Appendix or within such other period of time as may be mutually agreed upon in writing by the parties.
- (b) The notice will include SWBT's estimate of make-ready charges, which estimate shall be stated on SWBT Form SW-9434 ("Access Application and Make-Ready Authorization"), a copy of which is attached hereto as part of EXHIBIT III.
- (c) CLEC shall have 20 days (the "acceptance period") after receiving SWBT's estimate of make-ready charges to authorize completion of the make-ready work proposed by SWBT or to advise SWBT of its willingness to perform the proposed make-ready work itself. If CLEC advises SWBT that it is willing to perform the make-ready work proposed by SWBT in accordance with a design approved by SWBT, and SWBT's specifications, SWBT will not, without due cause and justification, refuse to accept CLEC's offer to perform the work. Authorization shall be accomplished by CLEC's signing the estimate and returning it to SWBT within the 20-day acceptance period.
- (d) Within the 20-day acceptance period, the parties may negotiate modifications of the make-ready work to be performed. If the parties reach agreement through negotiation, a new estimate shall be prepared and authorization shall be accomplished by CLEC's signing the revised estimate and returning it to SWBT within the original 20-day acceptance period, or within such period of time as may be mutually agreed upon by the parties.
- (e) If CLEC does not sign and return the estimate within the 20-day acceptance period, or within such other period of time as may be mutually agreed upon in writing by the parties, CLEC shall notify SWBT in writing by the 20th day whether CLEC is withdrawing its application, electing to perform the make-ready work itself as provided in subsection (c) or electing to treat SWBT's make-ready requirements as a denial of access.
 - (1) If no such notice is given by the 20th day, or such later date as may be mutually agreed upon by the parties, SWBT shall contact CLEC to determine whether CLEC intends to withdraw its application. CLEC shall

be deemed to have withdrawn its application if, in response to SWBT's inquiry, CLEC does not immediately sign and return the estimate to SWBT.

- (2) If CLEC timely notifies SWBT that it is electing to treat SWBT's make-ready requirements as a denial of access, SWBT shall, within 20 days after receiving the notice, provide CLEC with a written statement explaining its decision to grant access only if the specified make-ready work is performed. The statement shall be specific, shall include all relevant evidence and information supporting SWBT's decision to grant access only if the specified make-ready work is performed, and shall explain how such evidence and information relates to SWBT's decision for reasons of lack of capacity, safety, reliability, or generally applicable engineering purposes. The statement shall also set forth the basis for SWBT's make-ready proposals and specifically address SWBT's rationale for rejecting CLEC's alternative written proposals, if any.

10.06 Multiple Applications. Applications shall be processed on a first-come, first-served basis. Applications filed on the same date shall be treated as having been filed simultaneously and shall be processed accordingly.

10.07 Payments to Others for Expenses Incurred in Transferring or Arranging Their Facilities. CLEC shall make arrangements with the owners of other facilities attached to SWBT's poles or occupying space in SWBT's conduit system regarding reimbursement for any expenses incurred by them in transferring or rearranging their facilities to accommodate the attachment or placement of CLEC's facilities to or in SWBT's poles, ducts, and conduits.

10.08 Reimbursement for the Creation or Use of Additional Capacity. CLEC acknowledges that as a result of make-ready work performed to accommodate CLEC's facilities, additional capacity may become available on SWBT's poles or in its conduit system. In such event, CLEC shall not have any preferential right to utilize such additional capacity in the future and shall not be entitled to any monies which may subsequently be paid to SWBT for the use of such additional capacity by any joint user; provided, however, SWBT must establish a methodology whereby CLEC is reimbursed on a pro-rata basis for any portion of the capacity later used by SWBT or another telecommunications provider, including, but not limited to, telecommunications carriers and cable television systems.

10.09 License and Attachment. After all required make-ready work is completed, SWBT will issue a license confirming that CLEC may attach specified facilities to SWBT's poles or place specified facilities in SWBT's conduit system. CLEC shall have access to attach or place only those facilities specifically described in licenses subject to this Appendix, and no others, except as otherwise specifically provided in (a) Sections 8.03 and 12.03 or other provisions of this Appendix, (b) any other written agreement between the parties providing for such access, or (c) the provisions of any applicable tariffs or commission orders.

ARTICLE 11: CONSTRUCTION OF CLEC'S FACILITIES

11.01 Responsibility for Attaching and Placing Facilities. Each party shall be responsible for the actual attachment of its facilities to SWBT's poles and the actual placement of its facilities in SWBT's ducts, conduits, and rights-of-way and shall be solely responsible for all costs and expenses incurred by it or on its behalf in connection with such activities. In this regard, each party shall be solely responsible for (a) paying all persons and entities who provide materials, labor, access to real or personal property, or other goods or services in connection with the construction and attachment of its facilities and (b) directing the activities of all such personnel while they are physically present on, within, or in the vicinity of SWBT's poles, ducts, conduits, and rights-of-way.

11.02 Construction Schedule. After the issuance of a license, CLEC shall provide SWBT with an updated construction schedule and shall thereafter keep SWBT informed of anticipated changes in the construction schedule. Construction schedules received by SWBT shall be subject to the provisions of Article 27 of this Appendix (Confidentiality of Information). Construction schedules required by this section shall include, at a minimum, the following information:

- (a) the name, title, business address, and business telephone number of the manager responsible for construction of the facilities;
- (b) the names of each contractor and subcontractor that will be involved in the construction activities;
- (c) the estimated dates when construction will begin and end; and
- (d) the approximate dates when CLEC or personnel working on CLEC's behalf will be performing construction work in connection with the attachment of CLEC's facilities to SWBT's poles or the placement of CLEC's facilities in any part of SWBT's conduit system.

**ARTICLE 12: USE AND ROUTINE MAINTENANCE
OF CLEC'S FACILITIES**

12.01 Use of CLEC's Facilities. Each license granted under this Appendix authorizes CLEC to have access to CLEC's facilities on or within SWBT's poles, ducts, and conduits as needed for the purpose of serving CLEC's customers.

12.02 Routine Maintenance of CLEC's Facilities. Each license granted under this Appendix authorizes CLEC to engage in routine maintenance of facilities located on or within SWBT's poles, ducts, and conduits pursuant to such license. Routine maintenance does not include the replacement or modification of CLEC's facilities in any manner which results in

CLEC's attachments differing substantially in size, weight, or physical characteristics from the attachments described in CLEC's license.

12.03 Installation of Drive Rings and J-Hooks. CLEC may install drive rings and J-hooks on SWBT's poles for the attachment of drop wires as specified in this section.

- (a) Drive rings and J-hooks may be installed as specified in pole attachment licenses issued to CLEC.
- (b) If attachment space has already been licensed to CLEC on a given SWBT pole, CLEC may install drive rings and J-hooks within the space assigned to CLEC (e.g., typically six inches above and six inches below CLEC's point of attachment on the pole if the point of attachment is in the center of the space assigned to CLEC) without applying for or obtaining a new or amended license. No additional attachment charges shall apply with respect to drive rings and J-hooks installed in CLEC's licensed attachment space.
- (c) CLEC's first choice for placement of drive rings and J-hooks shall be the licensed attachment space assigned to CLEC as provided in subsections (a) and (b) above; provided, however, that if attachment space already licensed to CLEC on a given SWBT pole is not adequate for CLEC's drive rings or J-hooks, CLEC may, when necessary, and without applying for or obtaining a new or amended license, install such drive rings and J-hooks above or below CLEC's licensed attachment space as described in subsection (b) above. No additional attachment charges shall apply with respect to drive rings and J-hooks installed outside CLEC's licensed attachment space as provided in this subsection.
- (d) If CLEC has not already been licensed attachment space on a given pole, CLEC may, when necessary, install drive rings and J-hooks on unassigned space on such pole without first obtaining a license for such attachment and shall, promptly following such installation, notify SWBT of the attachment. Such notification shall be made on a form to be developed by SWBT for this purpose and shall constitute an application for a license. Such application may be conditionally granted without a prelicense survey or other inquiry by SWBT, and SWBT shall not be required to process the application, log the attachment as an assignment in its outside plant records, or issue a permanent license unless its specifically requested by CLEC to do so; provided, however, that a conditionally granted application under this subsection shall be subject to revocation if it is subsequently determined that such attachment has been made in violation of subsection (e) of this section or other provisions of this Appendix. Drive-rings and J-hooks installed pursuant to this subsection are pole attachments and charges for such attachments shall be determined in accordance with the Pole Attachment Act and applicable rules, regulations, and commission orders.

- (e) Notwithstanding the provisions of subsections (c)-(d) above, CLEC may not install drive rings and J-hooks in space assigned to SWBT or another joint user without the approval of SWBT or such other joint user and may not install drive rings and J-hooks in unassigned space in any manner which will block or preclude the subsequent occupancy or use of such space by SWBT or other joint users. If the presence of such CLEC facilities in space not assigned to CLEC will block or preclude the use of assigned or otherwise assignable space by SWBT or other joint users, CLEC shall, on SWBT's request, promptly relocate the facilities in order to accommodate the facilities of other users and shall bear all expenses associated with such relocation.
- (f) SWBT may not install drive rings and J-hooks in space assigned to CLEC without CLEC's approval and shall, at CLEC's request, promptly relocate the facilities in order to accommodate CLEC's facilities and bear all expenses associated with such relocation. If SWBT drive rings or J-hooks have been installed in space subsequently assigned to CLEC, or if the presence of SWBT drive rings or J-hooks blocks or precludes the use of otherwise assignable space on SWBT's poles, SWBT shall, at CLEC's request, relocate such facilities, if it is feasible to do so, as make-ready work.
- (g) CLEC shall, at the request of SWBT or another joint user, at CLEC's expense, promptly relocate or, if necessary, remove any drive rings and J-hooks placed on SWBT's poles other than as permitted in this section.

12.04 Short-term Use of Maintenance Ducts for Repair and Maintenance Activities. Maintenance ducts shall be available, on a nondiscriminatory basis, for short-term (not to exceed 30 days) non-emergency maintenance or repair activities by any person or entity (including but not limited to SWBT, CLEC, other local service providers, and other joint users) with facilities in the conduit section in which the maintenance duct is located; provided, however, that use of the maintenance duct for non-emergency maintenance and repair activities must be scheduled by SWBT. A person or entity using the maintenance duct for non-emergency maintenance or repair activities shall immediately notify SWBT of such use and must either vacate the maintenance duct within 30 days or, with SWBT's consent, which consent shall not be unreasonably withheld, rearrange its facilities to ensure that at least one full-sized replacement maintenance duct (or, if a designated maintenance duct was an inner duct, a suitable replacement inner duct) is available for use by all occupants in the conduit section within 30 days after such party occupies the maintenance duct. Cables temporarily placed in the maintenance duct on a non-emergency basis shall be subject to such accommodations as may be necessary to rectify emergencies which may occur while the maintenance duct is occupied.

12.05 Responsibility for Maintenance of Facilities. Each party shall be solely responsible for maintaining its own facilities and (a) paying all persons and entities who provide materials, labor, access to real or personal property, or other goods or services in connection with the maintenance of such party's facilities and (b) directing the activities of all such personnel

while they are physically present on, within, or in the vicinity of SWBT's poles, ducts, conduits, and rights-of-way.

12.06 Information Concerning the Maintenance of CLEC's Facilities. Promptly after the issuance of a license, CLEC shall provide SWBT with the name, title, business address, and business telephone number of the manager responsible for routine maintenance of CLEC's facilities and shall thereafter notify SWBT of changes to such information. The manager responsible for routine maintenance of CLEC's facilities shall, on SWBT's request, identify any contractor, subcontractor, or other person performing maintenance activities on CLEC's behalf at a specified site.

ARTICLE 13: MODIFICATION OF CLEC'S FACILITIES

13.01 Notification of Planned Modifications. CLEC shall notify SWBT in writing at least 30 days before adding to, relocating, replacing or otherwise modifying its facilities attached to a pole, or located in any SWBT duct or conduit. The notice shall contain sufficient information to enable SWBT to determine whether the proposed addition, relocation, replacement, or modification is permitted under CLEC's present license or requires a new or amended license. No notice shall be required for such routine modifications as the installation or placement of drive rings or J-hooks, terminals, and other ancillary apparatus routinely used in providing service to customers, having no effect on the structural integrity of SWBT's poles, ducts, or conduits, and having no effect on the ability of SWBT or joint users to use or have access to SWBT's poles, ducts, conduits, or rights-of-way.

13.02 New or Amended License Required. A new or amended license will be required if the proposed addition, relocation, replacement, or modification:

- (a) requires that CLEC occupy additional space on SWBT's poles (except on a temporary basis in the event of an emergency);
- (b) requires that CLEC occupy additional space (other than space in the maintenance duct in accordance with Sections 12.04, 13.03, and 15.02 of this Appendix) in any SWBT duct or conduit except on a temporary basis in the event of an emergency;
- (c) results in the facilities attached being different from those described as authorized attachments in CLEC's present application, current license, notice of intent to occupy, or license application and supplemental documentation (e.g., different duct or size increase causing a need to re-calculate storm loadings, guying, or pole class);
- (d) requires additional holding capacity on a permanent basis.

13.03 Use of Maintenance Duct in Connection with Facility Modifications and Replacements. Non-emergency access to the maintenance duct in connection with facilities

modifications and replacements shall be subject to the provisions of Section 12.04 of this Appendix.

13.04 Replacement of Facilities and Spinning/Overlashing Additional Cables. CLEC may replace existing facilities with new facilities occupying the same pole, duct, or conduit space, and may spin or overlash additional cables to its own existing facilities; provided, however, that such activities shall not be considered to be routine maintenance and shall be subject to the requirements of this article.

13.05 Streamlined Procedures for the Issuance of Amended Licenses. SWBT may streamline procedures for the issuance of amended licenses with respect to proposed additions, relocations, replacements, or modifications of CLEC's facilities when it appears to SWBT that the proposed additions, relocations, replacements, or modifications will not require make-ready work by SWBT, will not interfere with SWBT's use of its poles, conduit systems, or facilities attached or connected thereto or contained therein, and will not interfere with the use of existing facilities attached or connected thereto or contained therein by joint users.

ARTICLE 14: REARRANGEMENT OF CLEC'S FACILITIES

14.01 Notice of Planned Modifications. The parties acknowledge that the Pole Attachment Act recites in part that "Whenever the owner of a pole, duct, conduit, or right-of-way intends to modify or alter such pole, duct, conduit, or right-of-way, the owner shall provide written notification of such action to any entity that has obtained an attachment to such conduit or right-of-way so that such entity may have a reasonable opportunity to add to or modify its existing attachment." The parties further acknowledge that the FCC, in its First Report and Order in CC Docket No. 96-98, recites that "... absent a private agreement establishing notification procedures, written notification of a modification must be provided to parties holding attachments on the facility to be modified at least 60 days prior to the commencement of the physical modification itself." This article is intended by the parties to alter the above-described notification requirements only as provided in Section 14.02(b) below.

14.02 Rearrangement of CLEC's Facilities at SWBT's Request. CLEC acknowledges that, from time to time, it may be necessary or desirable for SWBT to rearrange facilities on or within its poles or conduit systems, change out poles, add poles to a pole line, relocate or reconstruct poles, pole lines, conduit segments, or conduit runs, enlarge manholes, reinforce conduit, or otherwise modify poles, pole lines, or portions of its conduit system and that such changes may be necessitated by SWBT's own business needs or by factors outside of SWBT's control, such as the decision by a municipality to widen streets or the decision by another person or entity to seek access to SWBT's poles, ducts, conduits, or rights-of-way.

- (a) CLEC agrees that CLEC will cooperate with SWBT and joint users in making such rearrangements as may be necessary to enable such changes to be made and that costs incurred by CLEC in making such rearrangements shall, in the absence of a specific agreement to the contrary, be borne by the parties in accordance with

- then-applicable statutes, rules, regulations, and commission orders, including the Pole Attachment Act and rules, regulations and commission orders thereunder.
- (b) CLEC shall make all rearrangements of its facilities within 60 days after receiving written notification by SWBT of the required rearrangements. SWBT may request that such modification be made within a shorter period of time, in which event CLEC shall not refuse to comply such request without due cause and justification. In determining due cause and justification, the following factors, among others, may be considered:
- (1) the circumstances under which the rearrangements are sought (e.g., street-widening project, request by a competing provider for access);
 - (2) the timeliness of SWBT's request to CLEC;
 - (3) the nature and number of rearrangements sought;
 - (4) the impact on the ability of the parties and joint users to meet customer service needs; and
 - (5) risks of service interruption to customers of the parties and joint users.
- (c) Nothing contained in this article shall preclude CLEC from advising SWBT, within 60 days from the date of the notice, of its desire to add to or modify its existing attachments.

ARTICLE 15: EMERGENCY REPAIRS AND POLE REPLACEMENTS

15.01 Applicability. The parties acknowledge that in the event of an emergency, services provided by the parties and joint users to their respective customers may be interrupted, that it may not be possible for all service providers with facilities attached to SWBT's poles to restore service to all customers at the same time, that disputes may arise between the parties concerning the manner in which emergency repairs shall be made, that it is essential that decisions be made quickly and that it is highly desirable that all service providers utilizing SWBT's poles, ducts, and conduits enter into appropriate arrangements relating to emergency repairs and service restoration. In the absence of prearranged agreements it is expected that disputes will be immediately resolved at the site among the affected parties based upon the criteria set forth in Section 15.05 of this Appendix. The parties further agree that the provisions of this article shall apply in the absence of more comprehensive agreements relating to emergency repairs.

15.02 Responsibility for Emergency Repairs; Access to Maintenance Duct. In general, each party plans and practices which will enable it to make such emergency repairs.

- (a) Nothing contained in this Appendix shall be construed as requiring either party to perform any repair or service restoration work of any kind with respect to the other party's facilities or the facilities of joint users.
- (b) Maintenance ducts shall be available, on a nondiscriminatory basis, for emergency repair activities by any person or entity (including but not limited to SWBT, CLEC, other local service providers, and other joint users) with facilities in the conduit section in which the maintenance duct is located; provided, however, that a party using the maintenance duct for emergency repair activities shall immediately notify SWBT of such use and must either vacate the maintenance duct within 30 days or, with SWBT's consent, which consent shall not be unreasonably withheld, rearrange its facilities to ensure that at least one full-sized replacement maintenance duct (or, if a designated maintenance duct was an inner duct, a suitable replacement inner duct) is available for use by all occupants in the conduit section within 30 days after such party occupies the maintenance duct. The parties agree not to exceed 30 days' use except in unusual emergencies that may require longer than 30 days to rectify.
- (c) If necessary, other unoccupied ducts may be used on a short-term basis when the maintenance duct is unavailable. Any such use shall be subject to the same rules applicable to the maintenance duct and shall be subject to the rights of any party or joint user to whom such duct has been assigned.

15.03 Designation of Emergency Repair Coordinators and Other Information. For each SWBT construction district, CLEC shall provide SWBT with the emergency contact number of CLEC's designated point of contact for coordinating the handling of emergency repairs of CLEC's facilities and shall thereafter notify SWBT of changes to such information.

15.04 Reporting of Conditions Requiring Emergency Repairs. CLEC shall notify SWBT at the earliest practicable opportunity after discovering any condition on or in any of SWBT's poles, ducts, conduits, or rights-of-way requiring emergency repairs to SWBT's facilities and SWBT shall notify CLEC at the earliest practicable opportunity after discovering any condition on or in any of SWBT's poles, ducts, conduits, or rights-of-way requiring emergency repairs to CLEC's facilities.

15.05 Order of Precedence of Work Operations; Access to Maintenance Duct and Other Unoccupied Ducts in Emergency Situations. When notice and coordination are practicable, SWBT, CLEC, and other affected parties shall coordinate repair and other work operations in emergency situations involving service disruptions. Disputes will be immediately resolved at the site by the affected parties in accordance with the following principles:

- (a) Emergency service restoration work requirements shall take precedence over other work operations.

- (b) Except as otherwise agreed upon by the parties, restoration of lines for emergency services providers (e.g., 911, fire, police, and hospital lines) shall be given the highest priority and temporary occupancy of the maintenance duct (and, if necessary, other unoccupied ducts) shall be assigned in a manner consistent with this priority. Secondary priority shall be given to restoring services to the local service providers with the greatest numbers of local lines out of service due to the emergency being rectified. The parties shall exercise good faith in assigning priorities and shall base their decisions on the best information then available to them at the site in question, and may, by mutual agreement at the site, take other factors into consideration in assigning priorities and sequencing service restoration activities.
- (c) SWBT shall determine the order of precedence of work operations and assignment of duct space in the maintenance duct (and other unoccupied ducts) only if the affected parties are unable to reach prompt agreement; provided, however, that these decisions shall be made by SWBT on a nondiscriminatory basis in accordance with the principles set forth in this section.

15.06 Unilateral Corrective Action. When SWBT or CLEC reasonably believes that, due to the condition of either party's facilities placed on, within, or in the vicinity of SWBT's poles, ducts, conduits, or rights-of-way, there is an immediate or imminent threat to the safety or health of employees or any other person, to the physical integrity or functioning of SWBT's or CLEC's facilities, or SWBT's or CLEC's ability to meet its service obligations, SWBT or CLEC may unilaterally perform such limited corrective work as may be necessary to prevent or mitigate against the injury threatened. For example, if facilities have become detached or partially detached from a pole, or detached or partially detached from supporting racks or wall supports within a manhole, SWBT or CLEC may reattach them as provided in this section but shall not be obligated to do so.

- (a) Before performing any corrective work involving facilities, SWBT or CLEC shall attempt to notify the other party. After such notice has been given, the parties shall coordinate corrective work.
- (b) When an emergency situation exists such that advance notice and coordination are not practicable, SWBT or CLEC may perform corrective work without first giving notice to the other, and shall promptly notify the other of the corrective work performed and the reason why notice was not given.

15.07 Emergency Pole Replacements. CLEC agrees to cooperate fully with SWBT when emergency pole replacements are required.

- (a) When emergency pole replacements are required, SWBT shall promptly make a good faith effort to contact CLEC to notify CLEC of the emergency and to determine whether CLEC will respond to the emergency in a timely manner.

- (b) If notified by SWBT that an emergency exists which will require the replacement of a pole, CLEC shall transfer its facilities immediately, provided such transfer is necessary to rectify the emergency. If the transfer is to a SWBT replacement pole, the transfer shall be in accordance with SWBT's placement instructions.
- (c) If CLEC is unable to respond to the emergency situation immediately, CLEC shall so advise SWBT and thereby authorize SWBT (or any joint user sharing the pole with SWBT) to perform such emergency-necessitated transfers (and associated facilities rearrangements) on CLEC's behalf.

15.08 Expenses Associated with Emergency Repairs. Each party shall bear all reasonable expenses arising out of or in connection with any emergency repairs of its facilities and transfers or rearrangements of its facilities associated with emergency pole replacements made in accordance with the provisions of this article.

- (a) Each party shall be solely responsible for paying all persons and entities who provide materials, labor, access to real or personal property, or other goods or services in connection with any such repair, transfer, or rearrangement of such party's facilities.
- (b) CLEC agrees to reimburse SWBT for the costs incurred by SWBT for work performed by SWBT on CLEC's behalf in accordance with the provisions of this article; provided, however, that when the costs incurred by SWBT are for work performed in part for CLEC and in part for SWBT and third parties, CLEC shall only reimburse SWBT for CLEC's share of the costs.

ARTICLE 16: INSPECTION BY SWBT OF CLEC'S FACILITIES

16.01 SWBT's Right to Make Periodic or Spot Inspections. SWBT shall have the right, but not the duty, to make periodic or spot inspections at any time of CLEC's facilities attached to SWBT's poles or placed within SWBT's ducts, conduits, or rights-of-way. Such inspection may be conducted for the purpose of determining whether facilities attached to SWBT's poles or placed in SWBT's conduit system are in compliance with the terms of this Appendix and licenses hereunder, SWBT may charge CLEC for inspection expenses only if the inspection reflects that CLEC is in substantial noncompliance with the terms of this Appendix. If the inspection reflects that CLEC's facilities are not in compliance with the terms of this Appendix, CLEC shall bring its facilities into compliance promptly after being notified of such noncompliance and shall notify SWBT in writing when the facilities have been brought into compliance.

16.02 Report of Inspection Results. SWBT will provide CLEC the results of any inspection of CLEC's facilities performed under Section 16.01 of this Appendix.

**ARTICLE 17: TAGGING OF FACILITIES AND
UNAUTHORIZED ATTACHMENTS**

17.01 Facilities to Be Marked. CLEC shall tag or otherwise mark all of CLEC's facilities placed on or in SWBT's poles, ducts, conduits, and rights-of-way in a manner sufficient to identify the facilities as CLEC's facilities.

17.02 Removal of Untagged or Unauthorized Facilities. Subject to the provisions of subsections (a)-(c) of this section, SWBT may, without notice to any person or entity, remove from SWBT's poles or any part of SWBT's conduit system any untagged or unmarked facilities, including any such facilities owned or used by CLEC, if SWBT determines that such facilities are not the subject of any current license authorizing their continued attachment to SWBT's poles or occupancy of SWBT's conduit system and are not otherwise lawfully present on SWBT's poles or in SWBT's conduit system.

- (a) Before removing any such untagged or unmarked facilities, SWBT shall first attempt to determine whether the facilities are being used by CLEC or any other firm, are authorized by any license subject to this Appendix, or are otherwise lawfully present on SWBT's poles or in SWBT's conduit system.
- (b) SWBT shall not remove untagged or unmarked facilities which are thought to be operational without first making reasonable efforts to (1) determine the identity of the owner or other person or entity thought to be responsible for the facilities and (2) give advance written notice to such person or entity.
- (c) If the facilities appear to be facilities which are subject to a current license granted to CLEC under this Appendix, or if the facilities are otherwise lawfully present on SWBT's poles or in SWBT's conduit system, SWBT shall give written notice to CLEC requesting CLEC to tag or mark the facilities within 60 days and CLEC shall either tag the facilities within 60-day period, advise SWBT in writing of its schedule for tagging the facilities, or notify SWBT in writing that it disclaims ownership of or responsibility for the facilities. If CLEC disclaims ownership of or responsibility for the facilities, CLEC shall disclose to SWBT the identity of the owner or other party thought by CLEC to be responsible for the facilities.

17.03 Updating of Plant Location Records. CLEC shall furnish SWBT, upon request, with such information as may from time to time be necessary for SWBT to correct and update SWBT's pole and conduit maps and records, cable plat maps, and other plant location records, if any, recording or logging assignments of pole, duct, and conduit space.

ARTICLE 18: REMOVAL OF CLEC'S FACILITIES

18.01 Responsibility for Removing Facilities. CLEC shall be responsible for and shall bear all expenses arising out of in connection with the removal of its facilities from SWBT's

poles, ducts, conduits, and rights-of-way. Such removals shall be performed in accordance with the provisions of this article.

- (a) CLEC shall give SWBT, when practicable, at least 30 days' advance notice in writing of its intent to remove facilities from any part of SWBT's conduit system and the proposed method of removal. The notice shall include the locations of the facilities to be removed, the name, telephone number of the manager responsible for the removal of the facilities, and the estimated dates when the removal of the facilities will begin and end.
- (b) CLEC shall, if requested by SWBT to do so, place a pull mandrel (slug) through all or any specified part of the duct which was occupied by CLEC.
- (c) Except as otherwise agreed upon in writing by the parties, CLEC must, after removing its facilities, plug all previously occupied ducts at the entrances to SWBT's manholes (if SWBT would itself plug the ducts under the same circumstances) in accordance with the standards set by SWBT for its operations, provided that such standards have been communicated in writing to CLEC at least 10 days in advance of the removal of CLEC's facilities.
- (d) CLEC shall be solely responsible for the removal of its own facilities and for (1) paying all persons and entities which provide materials, labor, access to real or personal property, or other goods or services in connection with the removal of CLEC's facilities from SWBT's poles, ducts, conduits, or rights-of-way and (2) directing the activities of all such personnel while they are physically present on, within, or in the vicinity of SWBT's poles, ducts, conduits, or rights-of-way.
- (e) When CLEC no longer intends to occupy space on a pole or in a conduit CLEC will provide written notification to SWBT that it wishes to terminate the license with respect to such space and will remove its facilities from the space described in the notice. Upon removal of CLEC's facilities, the license shall terminate and the space shall be available for reassignment.

18.02 Removal of Facilities Not in Active Use. At SWBT's request, CLEC shall remove from SWBT's poles, ducts, conduits, and rights-of-way any of CLEC's facilities which are no longer in active use; provided, however, that CLEC shall not be required to remove such facilities when due cause and justification exists for allowing them to remain in place. CLEC shall not be required to remove retired or inactive (dead) cables that have been overlashed by other facilities which remain in active use unless removal expenses are paid by the person or entity requesting removal of such facilities. CLEC shall not be required to remove cables that would require excavation to remove unless the person or entity requesting removal of such cables bears the expenses of such excavation in a manner analogous to the provisions of Section 10.02(c) of this Appendix. CLEC shall not abandon any of its facilities by leaving them on SWBT's poles, in SWBT's ducts, conduits, or rights-of-way, at any location where they may

block or obstruct access to SWBT's poles or any part of SWBT's conduit system, or on any public or private property (other than property owned or controlled by CLEC) in the vicinity of SWBT's poles, ducts, conduits, or rights-of-way.

18.03 Removal Following Termination of License. CLEC shall remove its facilities from SWBT's poles, ducts, conduits, or rights-of-way within 60 days, or within such other period of time as shall be mutually agreeable to the parties, after termination of the license authorizing the attachment of such facilities to SWBT's poles or the placement of such facilities in SWBT's ducts, conduits, or rights-of-way.

18.04 Removal Following Replacement of Facilities. Except as provided in Section 18.02, CLEC shall remove facilities no longer in service from SWBT's poles or conduit system within 60 days, or within such other period of time as shall be mutually agreeable to the parties, after the date CLEC replaces existing facilities on a pole or in a conduit with substitute facilities on the same pole or in the same conduit; provided, however, that removal of facilities from the maintenance duct shall be governed by Sections 12.04, 13.03, and 15.02 of this Appendix and not by this subsection.

18.05 Notice of Completion of Removal Activities. CLEC shall give written notice to SWBT stating the date on which the removal of its facilities from SWBT's poles, ducts, conduits, and rights-of-way has been completed. Charges shall continue to accrue with respect to such facilities until CLEC's facilities have been removed, pull mandrels (slugs) have been pulled if required by Section 18.01(b) of this Appendix, CLEC has plugged all previously occupied ducts at the entrances to SWBT's manholes as required by Section 18.01(c) of this Appendix, and the notice required by this section has been given.

18.06 Notice of SWBT's Intent to Remove Facilities. If CLEC fails to remove its facilities from SWBT's poles or conduit system, in accordance with the provisions of Sections 18.01 and 18.05 of this Appendix, SWBT may remove such facilities 60 days after giving CLEC written notice of its intent to do so. The notice shall state:

- (a) the date when SWBT plans to commence removal of CLEC's facilities, and that CLEC may remove the facilities at CLEC's sole cost and expense at any time before the date specified;
- (b) SWBT's plans with respect to disposition of the facilities removed; and
- (c) that CLEC's failure to remove the facilities or make alternative arrangements with SWBT for removal and disposition of the facilities shall constitute an abandonment of the facilities and of any interest therein.

18.07 Removal of Facilities by SWBT. If SWBT removes any of CLEC's facilities pursuant to this article, CLEC shall reimburse SWBT for SWBT's costs in connection with the removal, storage, delivery, or other disposition of the removed facilities.

18.08 Reattachment or Subsequent Attachment Following Removal. After CLEC's facilities have been properly removed pursuant to the provisions of this article, neither the removed facilities nor replacement facilities shall be attached to SWBT's poles or placed in SWBT's conduit system until CLEC has first submitted new applications for the facilities and complied with the provisions of this Appendix.

18.09 Termination of Licenses After Removal of Facilities. CLEC agrees to provide written notice to SWBT when it ceases to use facilities attached to SWBT's poles or placed in any part of SWBT's conduit system. Upon the giving of such notice and the removal of such facilities, CLEC's license with respect to such facilities and the space occupied by those facilities shall terminate.

ARTICLE 19: RATES, FEES, CHARGES, AND BILLING

19.01 Rates and Administrative Fees. The following rates and administrative fees shall apply during the terms of the parties' Interconnection Agreement and shall not be increased or decreased except as provided herein or by Commission order.

- (a) Rates for Pole Attachments and Conduit Occupancy. In accordance with the Missouri Public Service Commission's arbitration order in Case No. TO-97-40, CLEC shall pay SWBT rates of \$2.35 per year per pole attachment and \$0.40 per duct foot per year for conduit occupancy, until such time as the Federal Communications Commission promulgates amended rules governing pole attachment and conduit occupancy rates. Conduit occupancy rates apply to manhole occupancy, calculated to the center point of the manhole. Pole attachment and conduit occupancy rates charged by SWBT to CLEC under this Appendix will then be adjusted in accordance with the FCC's rules on a going-forward basis.
- (b) Administrative Fees. As provided by the Missouri Public Service Commission's arbitration order in Case No. TO-97-40, SWBT shall be allowed to charge administrative fees to CLEC. The amount charged by SWBT to CLEC for administrative fees shall be identical to the amount charged by SWBT to CATV providers. Further, in accordance with the Missouri Public Service Commission's arbitration order in Case No. TO-97-40, if the FCC promulgates rules governing the assessment of administrative fees, those rules shall apply to administrative fees charged by SWBT to CLEC on a going-forward basis.
- (c) Partial Duct and Inner Duct Occupancy Rates. SWBT's rates for partial duct and inner duct occupancy shall be determined in accordance with the Pole Attachment Act and applicable rules, regulations, and Commission orders thereunder. Partial duct and inner duct rates shall be standardized

rather than determined on a case-by-case basis which requires individual analysis of conduit sections occupied. If two or more cable facilities occupy a duct that has not been subdivided by inner duct, a half-duct occupancy rate will apply for each cable facility placed in the duct. A half-duct occupancy rate will apply to the first facility placed by CLEC in a previously unoccupied duct that has not been subdivided by inner duct if the presence of CLEC's cable facility does not render the other half of the duct unusable by others. A half-duct rate shall apply to each inner duct occupied. If the FCC promulgates rules governing rates for partial duct and inner duct occupancy, those rules shall apply, on a going forward basis, to partial duct and inner duct occupancy rates charged to CLEC by SWBT under this Appendix.

19.02 This section intentionally left blank.

19.03 Semiannual Attachment and Occupancy Fees. SWBT's semiannual fees for attachments to SWBT's poles and occupancy of SWBT's ducts and conduits are specified in Exhibit I. For all attachments to SWBT's poles and occupancy of SWBT's ducts and conduits, CLEC agrees to pay SWBT's semiannual charges as specified in Exhibit I.

19.04 Billing for Attachment and Occupancy Fees. Semiannual attachment and occupancy fees under this Appendix and licenses issued hereunder shall be payable in advance. Fees for pole attachments shall be based on the number of pole attachments for which licenses have been issued as of the date of billing by SWBT, shall be determined in accordance with the schedule of charges set forth in Exhibit I, and shall be payable semiannually in advance. Fees for conduit occupancy shall be based on the number of duct feet subject to occupancy by CLEC under licenses issued as of the date of billing by SWBT, shall be determined in accordance with the schedule of charges set forth in Exhibit I, and shall be payable semiannually in advance. Pole attachment and conduit occupancy space assigned to CLEC prior to the issuance of a license shall be billed in the same manner as if a license had been issued.

- (a) Bills shall be submitted to CLEC for two semiannual billing periods, the first period including charges for the months of January through June and the second including charges for the months of July through December.
- (b) Charges associated with newly licensed pole attachments and conduit occupancy shall be prorated on a daily basis and billed with the next semiannual bill.
- (c) Charges shall be adjusted and retroactively prorated on a daily basis following the removal of CLEC's facilities (in accordance with Article 18) and shall be retroactively adjusted as a credit on the next semiannual bill.

19.05 Pre-license Survey Fees. With respect to pre-license surveys conducted by SWBT pursuant to Section 9.05 of this Appendix, SWBT may charge CLEC cost-based pre-license

survey fees pursuant to such methodologies as shall be approved by the Missouri Public Service Commission following the filing by SWBT of any required study providing cost justification for the imposition of pre-license survey fees.

19.06 Make-Ready Charges. CLEC agrees to pay make-ready charges, if any, as specified in this section. SWBT may recover from CLEC the costs of make-ready work performed by SWBT or persons acting on SWBT's behalf. SWBT may not require payment of the full amount in advance. CLEC will pay half of SWBT's make-ready charges after 50% completion of work, and the remainder at completion. Bills and invoices submitted by SWBT to CLEC for make ready charges shall be due and payable 30 days after the date of the bill or invoice.

19.06A Charges for Work Performed by SWBT Employees. Except as otherwise specifically required by applicable commission orders, SWBT's charges to CLEC for work performed by SWBT employees pursuant to this Appendix shall be computed by multiplying the fully loaded hourly rates for such employees times the number of hours required to perform the work. Disputes over SWBT's charges for work performed by SWBT employees, including disputes between the parties concerning the number of hours required to perform the work, shall be subject to the dispute resolution procedures of Article 30. Notwithstanding the execution of this Appendix, CLEC shall have the right to challenge the methodology utilized by SWBT to determine hourly rates for SWBT employees at any time in any forum having jurisdiction over the subject matter.

19.07 Due Date for Payment. For all fees and charges other than make ready charges, each bill or invoice submitted by SWBT to CLEC for any fees or charges under this Appendix shall state the date that payment is due, which date shall be not less than 60 days after the date of the bill or invoice. CLEC agrees to pay each such bill or invoice on or before the stated due date.

ARTICLE 20: PERFORMANCE AND PAYMENT BONDS

20.01 Bond May Be Required. SWBT may require CLEC, authorized contractors, and other persons acting on CLEC's behalf to execute performance and payment bonds (or provide other forms of security) in amounts and on terms sufficient to guarantee the performance of their respective obligations arising out of or in connection with this Appendix only as provided in subsections (a)-(b) of this section. Bonds shall not be required for entities meeting all self-insurance requirements of Section 22.02 of this Appendix.

- (a) If CLEC elects to perform facilities modification, capacity expansion, or make-ready work under Section 6.08(c) or Sections 10.02-10.05 of this Appendix, SWBT may require CLEC, authorized contractors, and other persons acting on CLEC's behalf to execute bonds equivalent to those which would be required by SWBT if the work had been performed by contractors, subcontractors, or other persons selected directly by SWBT. No bonds shall be required of CLEC,

- authorized contractors, or other persons acting on CLEC's behalf except in those situations where a bond would be required if the work were being performed on SWBT's behalf.
- (b) No other bond shall be required of CLEC to secure obligations arising under this Appendix in the absence of due cause and justification.
 - (c) If a bond or similar form of assurance is required of CLEC, an authorized contractor, or other person acting on CLEC's behalf, CLEC shall promptly submit to SWBT, upon request, adequate proof that the bond remains in full force and effect and provide certification from the company issuing the bond that the bond will not be canceled, changed or materially altered without first providing SWBT 60 days written notice.
 - (d) SWBT may communicate directly with the issuer of any bond issued pursuant to this section to verify the terms of the bond, to confirm that the bond remains in force, and to make demand on the issuer for payment or performance of any obligations secured by the bond.

ARTICLE 21

(RESERVED)

ARTICLE 22: INSURANCE

22.01 Insurance Required. CLEC shall comply with the insurance requirements specified in this section.

- (a) Unless CLEC has provided proof of self-insurance as permitted in Section 22.02 below, CLEC shall obtain and maintain in full force and effect, for so long as this Appendix remains in effect, insurance policies specified in Exhibit IV of this Appendix. Each policy shall name SWBT as an additional insured and shall include provisions requiring the insurer to give SWBT notice of any lapse, cancellation, or termination of the policy or any modification to the policy affecting SWBT's rights under the policy, including but not limited to any decrease in coverage or increase in deductibles.
- (b) Exclusions from coverage or deductibles, other than those expressly permitted in EXHIBIT IV, must be approved in writing by SWBT.
- (c) Authorized contractors and other contractors performing work on, within, or in the vicinity of SWBT's poles, ducts, conduits, or rights-of-way on CLEC's behalf shall be required to meet the same insurance requirements applicable to contractors performing similar work on SWBT's behalf. CLEC shall be

responsible for securing compliance by its contractors with this requirement and shall be liable to SWBT for any damages resulting from its failure to do so.

- (d) Self-insurance shall be permitted for persons and entities (including but not limited to CLEC and authorized contractors) meeting the self-insurance requirements set forth in Section 22.02 of this Appendix.

22.02 Proof of Insurance or Self-insurance. Proof of insurance or self-insurance shall be made pursuant to the provisions of this section.

- (a) CLEC shall submit to SWBT adequate proof (as determined by SWBT) that the companies insuring CLEC are providing all coverages required by this Appendix. CLEC's insurers shall provide SWBT with certifications that the required coverages will not be canceled, changed, or materially altered (e.g., by increasing deductibles or altering exclusions from coverages) except after 30 days written notice to SWBT.
- (b) SWBT will accept certified proof of a person or entity's qualification as a self-insurer for Workers' Compensation and Employers Liability, where self-insurance is permitted, upon receipt of a current copy of a Certificate of Authority to Self-insure issued by the Workers' Compensation Commission of this State. SWBT will accept self-insurance by a person or entity in lieu of other Commercial General Liability and Automobile Liability Coverage if such person or entity warrants that its net worth, as shown by its most recent audited financial statement with no negative notes, is at least 10 times the minimum liability limits set forth in Exhibit IV and SWBT is satisfied that such person or entity will be able to meet its liability obligations under this Appendix.

22.03 Licensing Contingent on Proof of Insurance. All insurance required in accordance with Exhibit IV, or self-insurance as permitted in Section 22.02, must be in effect before SWBT will issue pole attachment or conduit occupancy licenses under this Appendix and shall remain in force until all of CLEC's facilities have been removed from SWBT's poles, ducts, conduits, and rights-of-way.

22.04 Failure to Obtain or Maintain Coverage. CLEC's failure to obtain and maintain the required levels and types of insurance coverage required under this Appendix may be grounds for termination of this Appendix and licenses subject to policies of insurance required under this Appendix will be canceled or changed in any manner which will result in CLEC's failure to meet the requirements of this Appendix. SWBT may terminate this Appendix and all licenses subject to this Appendix not less than 60 days after giving CLEC written notice of its intention to do so, and such termination shall be effective on the termination date specified in the notice unless CLEC has obtained (or made arrangements satisfactory to SWBT to obtain) the required coverage from another source. In the alternative, SWBT may, in its sole discretion, elect to take such action as may be necessary to keep the policy in effect with the required coverages.

ARTICLE 23

(RESERVED)

**ARTICLE 24: TERMINATION OF AGREEMENT OR LICENSES;
REMEDIES FOR BREACHES**

24.01 Termination of Appendix Due to Non-Use of Facilities. CLEC shall, by written notice to SWBT, terminate this Appendix if CLEC ceases to do business in this State, or ceases to make active use of SWBT's poles, ducts, conduits, and rights-of-way in this State.

24.02 Limitation, Termination, or Refusal of Access Due to Certain Material Breaches. CLEC's access to SWBT's poles, ducts, conduits, and rights-of-way will not materially interfere with or impair service over any facilities of SWBT or any joint user, cause material damage to SWBT's plant or the plant of any joint user, impair the privacy of communications carried over the facilities of SWBT or any joint user, or create serious hazards to health or safety of any persons working on, within, or in the vicinity of SWBT's poles, ducts, rights-of-way or to the public. Upon reasonable notice and opportunity to cure, SWBT may limit, terminate or refuse access if CLEC violates this provision; provided, however, that such limitation, termination or refusal will be limited to CLEC's access to poles, ducts, conduits, and rights-of-way located in the SWBT construction district in which the violation occurs, shall be as narrowly limited in time and geographic scope as may be necessary to enable CLEC to adopt suitable controls to prevent further violations, and shall be subject to review, at CLEC's request, pursuant to the dispute resolution procedures set forth in this Appendix (or, if applicable, the parties' Interconnection Agreement) or, as permitted by law, before any court, agency, or other tribunal having jurisdiction over the subject matter. In the event CLEC invokes dispute resolution procedures or seeks review before a court, agency, or other tribunal having jurisdiction over the subject matter, the limitation, termination, or refusal of access may be stayed or suspended by agreement of the parties or by order of the tribunal having jurisdiction over the parties' dispute.

24.03 Notice and Opportunity to Cure Breach. In the event of any claimed breach of this Appendix by either party, the aggrieved party may give written notice of such claimed breach as provided in this section.

- (a) The notice shall set forth in reasonable detail:
 - (1) the conduct or circumstances complained of, together with the complaining party's legal basis for asserting that a breach has occurred;
 - (2) the action believed necessary to cure the alleged breach; and
 - (3) any other matter the complaining party desires to include in the notice.

- (b) Except as provided in Section 24.02 and subsection (c) of this section, the complaining party shall not be entitled to pursue any remedies available under this Appendix or relevant law unless such notice is given and (1) the breaching party fails to cure the breach within 30 days of such notice, if the breach is one which can be cured within 30 days, or (2) the breaching party fails to commence promptly and pursue diligently a cure of the breach, if the required cure is such that more than 30 days will be required to effect such cure; provided, however, that nothing contained in this section shall preclude either party from invoking the dispute resolution procedures set forth in Article 30 of this Appendix, or any complaint or dispute resolution procedures offered by the FCC or State Commission, at any time.
- (c) Nothing contained in this section shall preclude either party from filing a complaint or bringing suit in any court, agency, or other tribunal of competent jurisdiction to restrain or enjoin any conduct of the other party which threatens the complaining party with irreparable injury, loss or damage without first giving the notice otherwise required by subsection (b).

ARTICLE 25

(RESERVED)

ARTICLE 26

(RESERVED)

ARTICLE 27: CONFIDENTIALITY OF INFORMATION

27.01 Information Provided by CLEC to SWBT. Except as otherwise specifically provided in this Appendix, all company-specific and customer-specific information submitted by CLEC to SWBT in connection with this Appendix (including but not limited to information submitted in connection with CLEC's applications for the assignment of pole attachment and occupancy space and for pole attachment and conduit occupancy licenses) shall be deemed to be "Confidential" or "Proprietary" information of CLEC and shall be subject to the terms set forth in this article. Confidential or Proprietary information specifically includes information or knowledge related to CLEC's review of records regarding a particular market area, or relating to assignment of space to CLEC in a particular market area, and further includes knowledge or information about the timing of CLEC's request for or review of records or its inquiry about SWBT facilities. This article does not limit the use by SWBT of aggregate information relating to the occupancy and use of SWBT's poles, ducts, conduits, and rights-of-way by firms other than SWBT (that is, information submitted by CLEC and aggregated by SWBT in a manner that does not directly or indirectly identify CLEC).

27.02 Access Limited to Persons with a Need to Know. Confidential or Proprietary information provided by CLEC to SWBT in connection with this Appendix shall not be disclosed to, shared with, or accessed by any person or persons (including but not limited to personnel involved in sales, marketing, competitive intelligence, competitive analysis, strategic planning, and similar activities) other than those who have a need to know such information for the limited purposes set forth in Sections 28.03 to 28.06.

27.03 Permitted Uses of CLEC's Confidential or Proprietary Information. SWBT and persons acting on SWBT's behalf, except for personnel involved in sales, marketing, competitive intelligence, competitive analysis, strategic planning, and similar activities, may utilize CLEC's Confidential or Proprietary information for the following purposes (a) posting information, as necessary, to SWBT's outside plant records; (b) placing, constructing, installing, operating, utilizing, maintaining, monitoring, inspecting, repairing, relocating, transferring, conveying, removing, or managing SWBT's poles, ducts, conduits, and rights-of-way and any SWBT facilities located on, within, or in the vicinity of such poles, ducts, conduits, and rights-of-way; (c) performing SWBT's obligations under this Appendix and similar agreements with third parties; (d) performing SWBT's general obligations to afford nondiscriminatory access to telecommunications carriers and cable television systems under the Pole Attachment Act; (e) determining which of SWBT's poles, ducts, conduits, and rights-of-way are (or may in the future be) available for SWBT's own use, and making planning, engineering, construction, and budgeting decisions relating to SWBT's poles, ducts, conduits, and rights-of-way; (f) preparing cost studies; (g) responding to regulatory requests for information; (h) maintaining SWBT's financial accounting records; and (i) complying with other legal requirements relating to poles, ducts, conduits, and rights-of-way.

27.04 Access by Third Parties. Information reflecting the assignment of pole attachment and conduit occupancy space to CLEC may be made available to personnel of third parties seeking access to SWBT's records under provisions, and subject to protections, equivalent to those contained in and required by Section 7.03 of this Appendix.

27.05 Defense of Claims. In the event of a dispute between SWBT and any person or entity, including CLEC, concerning SWBT's performance of this Appendix, satisfaction of obligations under similar agreements with third parties, compliance with the Pole Attachment Act, compliance with the Telecommunications Act of 1996, or compliance with other federal, state, or local laws, regulations, commission orders, and the like, SWBT may utilize Confidential or Proprietary information submitted by CLEC in connection with this Appendix as may be reasonable or necessary to demonstrate compliance, protect itself from allegations of wrongdoing, or comply with subpoenas, court orders, or reasonable discovery requests; provided, however, that SWBT shall not disclose CLEC's Proprietary or Confidential Information without first, at SWBT's option, (a) obtaining an agreed protective order or nondisclosure agreement that preserves the confidential and proprietary nature of the information; (b) seeking such a protective order as provided by law if no agreed protective order or nondisclosure agreement can be obtained; or (c) providing CLEC notice of the subpoena or order and the opportunity to protect the Proprietary or Confidential Information.

27.06 Response to Subpoenas, Court Orders, and Agency Orders. Nothing contained in this article shall be construed as precluding SWBT from complying with any subpoena, civil or criminal investigative demand, or other order issued or entered by a court or agency of competent jurisdiction; provided, however, that SWBT shall not disclose CLEC's proprietary or confidential information without first, at SWBT's option: (a) obtaining an agreed protective order or nondisclosure agreement that preserves the confidential and proprietary nature of CLEC's information; (b) seeking such a protective order as provided by law if no agreed protective order or nondisclosure agreement can be obtained; or (c) providing CLEC notice of the subpoena, demand, or order and an opportunity to take affirmative steps of its own to protect such proprietary or confidential information.

27.07 Other Uses of Confidential Information. No other uses of Confidential or Proprietary information received from CLEC pursuant to this Appendix are authorized or permitted without CLEC's express written consent.

ARTICLE 28

(RESERVED)

ARTICLE 29

(RESERVED)

546

**THIS AGREEMENT CONTAINS A BINDING ARBITRATION PROVISION WHICH
MAY BE ENFORCED BY THE PARTIES.**

SOUTHWESTERN BELL TELEPHONE COMPANY

By:

Signature of SWBT's Authorized Officer/Employee:

Name of SWBT's Authorized Officer/Employee (Printed or Typed)

Position/Title of SWBT's Authorized Officer/Employee

Date

NUVOX COMMUNICATIONS OF MISSOURI, INC.

By:

Signature of CLEC's Authorized Officer/Employee

Name of CLEC's Authorized Officer/Employee (Printed or
Typed)

Title of CLEC's Authorized Officer/Employee

Date

EXHIBIT I**POLE AND CONDUIT ATTACHMENT RATES**

ITEMS	AR	KS	MO	OK	TX
CLEC Pole Attachments (\$/attachment/yr)	\$2.35	\$1.75	\$2.35	\$1.55	\$2.85
CLEC Conduit Occupancy (\$/ft/yr)*	\$0.40	\$0.39	\$0.40	\$0.39	\$0.63

* Conduit occupancy rates shown are for full-sized ducts. Occupancy of each inner-duct will be at \$0.205 ft/yr. (i.e., half-duct rate).

568

EXHIBIT II
IDENTIFICATION OF APPLICANT (MISSOURI)

This Exhibit is an integral part of the Master Agreement for Access to Poles, Ducts, Conduits, and Rights-of-Way to which it is attached.

Applicant's legal name is: NuVox Communications of Missouri, Inc.

Applicant's principal place of business is located in the State of Missouri

Applicant does business under the following assumed names: _____

Applicant is:

☒ [X] a corporation organized under the laws of the State of Delaware,
charter no. _____;

☐ [] a partnership organized under the laws of the State of _____;
or

☐ [] another entity, as follows: _____

Applicant represents that Applicant is:

☐ [] (1) a cable system (as defined in 47 U.S.C. §§ 153(37) and 522(7)) seeking a pole attachment or conduit occupancy license solely to provide cable service (as defined in 47 U.S.C. § 522(6));

☐ [] (2) a telecommunications carrier, as defined in 47 U.S.C. § 153(49), as modified by 47 U.S.C. § 224; or

☐ [] (3) a person or entity which is neither (1) nor (2) above, as follows:

EXHIBIT III
ADMINISTRATIVE FORMS AND NOTICES (MISSOURI)

This Exhibit is an integral part of the Master Agreement for Access to Poles, Ducts, Conduits, and Rights-of-Way to which it is attached and contains administrative forms referred to in the Master Agreement or used in connection with the provision of access to SWBT's poles, ducts, conduits, and rights-of-way. The forms are forms presently in use and have not been fully conformed to the Master Agreement. The forms may be further revised by SWBT to conform to the Master Agreement and revised from time to time to reflect changes in the applicable law, changes in the Master Agreement, and changes in the procedures through which access to poles, ducts, conduits, and rights-of-way is afforded by SWBT to CLEC and others.

- SW-9433: Pole Attachments
- SW-9434: Access Application and Make-Ready Authorization
- SW-9435: Conduit Occupancy
- SW-9436A: Notification of Surrender or Modification of Pole Attachment License by Licensee
- SW-9436B: Notification of Surrender or Modification of Conduit Occupancy License by Applicant
- SW-9436C: Notification of Unauthorized Attachments by Applicant

570

**EXHIBIT IV
INSURANCE REQUIREMENTS (MISSOURI)**

This Exhibit is an integral part of the Master Agreement for Access to Poles, Ducts, Conduits, and Rights-of-Way to which it is attached.

1) Premises. As used in this Exhibit, the term "premises" refers to any site located on, within, or in the vicinity of SWBT's poles, ducts, conduits, or rights-of-way and any location where CLEC or any person acting on CLEC's behalf may be physically present while traveling to or departing from any such site.

2) Requirements Applicable to CLEC and All Persons and Entities Acting on CLEC's Behalf. CLEC shall maintain, at all times during the term of this Agreement, all insurance and coverages set forth below. Such insurance and coverages shall not only cover CLEC but all contractors, subcontractors, and other persons or entities acting on CLEC's behalf at the premises described in 1) above. CLEC should require that all contractors, subcontractors, and other persons or entities acting on CLEC's behalf at premises described in 1) above obtain the same insurance and coverages.

3) Workers' Compensation Insurance. CLEC shall maintain, at all times during the term of the Agreement, Workers' Compensation Insurance and Employer's Liability Insurance with minimum limits of \$100,000 for bodily injury-each accident, \$100,000 for bodily injury by disease-each employee, and \$500,000 for bodily injury by disease-policy limits, for all employees performing work or otherwise present on the premises described in 1) above. Such insurance must comply with the Workers' Compensation laws of this State and shall provide coverage, at a minimum, for all benefits required by such Worker's Compensation laws. CLEC shall require any contractor, subcontractor, or other person or entity acting on CLEC's behalf to provide Workers' Compensation Insurance and Employer's Liability Insurance for their respective employees unless such employees are covered by the protection afforded by CLEC.

4) General Liability Insurance. To protect SWBT from any liability for bodily injury or property damage, CLEC shall maintain, at all times during the term of the Master Agreement, General Liability insurance satisfactory to SWBT. SWBT shall be added as an additional insured in the standard policy or an endorsement thereto. CLEC shall also require any contractor, subcontractor, or other person or entity acting on CLEC's behalf to provide General Liability coverage with the same limits and with SWBT added as an additional insured unless such contractor, subcontractor, or other person or entity is covered by the General Liability protection afforded by CLEC.

- a) The following coverages must be included in (and may not be excluded from) the policy or policies obtained to satisfy the General Liability insurance requirements of CLEC and any contractor, subcontractor, or other person or entity acting on CLEC's behalf. The coverages may be provided by the standard policy or

5-11

endorsements thereto. Exclusion endorsements deleting these coverages will not be accepted.

- 1) Personal Injury and Advertising Injury coverage.
- 2) Premises/Operations coverage, including also coverage for any newly acquired ownership or controlled premises or operations.
- 3) Independent Contractors coverage to provide protection for CLEC's contractors, subcontractors, and other persons or entities acting on CLEC's behalf.
- 4) Explosion, Collapse, and Underground Hazard (XCU) coverage.
- 5) Completed Operations coverage providing for bodily injury and property damage liabilities which may occur once the operations have been completed or abandoned.
- 6) Contractual Liability coverage to provide financial responsibility for CLEC to meet its indemnification obligations.
- 7) Broad Form Property Damage (BFPD) coverage for damage to property in the care or custody of CLEC and damage to work performed by or on behalf of CLEC.

b) Minimum policy limits shall be as follows:

General Aggregate Limit: \$1,000,000.

Sublimit for all bodily injury, property damages, or medical expenses incurred in any one occurrence: \$1,000,000.

Sublimit for personal injury and advertising: \$1,000,000.

Products/Operations Aggregate Limit: \$1,000,000.

Each occurrence sublimit for Products/Operations: \$1,000,000.

- c) No coverage shall be deleted from the standard policy without notification of individual exclusions being attached for review and acceptance.
- d) Policy language or endorsements adding SWBT as an additional insured shall not include exclusions or exceptions which defeat the purpose of protecting SWBT

572

from any liability for bodily injury or property damage arising out of CLEC's operations.

5) Automobile Liability Insurance. The parties contemplate that CLEC and personnel acting on CLEC's behalf will utilize automobiles, trucks, and other motor vehicles on public and private property, including public rights-of-way, in the vicinity of SWBT's poles, ducts, conduits, and rights-of-way. Accordingly, CLEC shall maintain, at all times during the term of the Agreement, Automobile Liability insurance with minimum limits of \$1,000,000 combined single limits per occurrence for bodily injury and property damage which may arise out of the operation or use of motor vehicles of any type. Coverage shall extend to "any auto" – that is, coverage shall be extended to all owned, non-owned, and hired vehicles used by CLEC or by any person or entity acting on CLEC's behalf in connection with any work performed, or to be performed, on, within, or in the vicinity of SWBT's poles, ducts, conduits, or rights-of-way.

6) Layering of General Liability and Automobile Liability coverages. CLEC's insurance may be written via a primary policy with either an excess or umbrella form over the primary policy. If coverage is written in this manner, the total of the combined policy limits must meet or exceed the minimum limits specified in the Agreement.

7) Deductibles. No deductibles shall be allowed without the express written consent of SWBT.

8) Claims Made Policies. Claims Made Policies will not be accepted.

9) Proof of Insurance. Certificates of Insurance stating the types of insurance and policy limits provided the insured, or other proof of insurance satisfactory to SWBT, must be received by SWBT prior to the issuance of any licenses pursuant to the Agreement and before CLEC or any person acting on CLEC's behalf performs any work on the premises described in 1) above.

- a) Certificates of Insurance using the insurance industry standard ACORD form are preferred.
- b) Certificates provided with respect to General Liability policies and certificates provided with respect to Automobile Liability policies shall indicate SWBT as an Additional Insured.
- c) Deductibles, if permitted, shall be listed on the Certificate of Insurance.
- d) The cancellation clause on the certificate of insurance shall be amended to read as follows:

573

"SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED OR MATERIALLY CHANGED BEFORE THE EXPIRATION DATE, THE ISSUING COMPANY WILL MAIL 30 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT."

A certificate which does not include the phrase "or materially changed" does not meet SWBT's requirements. A certificate reciting that the issuing company will "endeavor to" mail 30 days written notice to the certificate holder does not meet SWBT's requirements. The language "but failure to mail such notice shall impose no obligation or liability of any kind upon the company, its agents, or representatives" or similar language must be deleted from the certificate.

- e) The certificate holder shall be:

Southwestern Bell Telephone Company
12930 Olive Street Road, Floor 2
Creve Couer, Missouri 63141
ATTENTION: Utility Liaison Supervisor

- f) Failure to object to any coverage described in a certificate shall not constitute written permission from SWBT to any variance from or alteration of any requirement set forth in this Exhibit and shall not be construed as a waiver by SWBT of any rights under the Agreement.

10) Rating of Insurers. SWBT requires that companies affording insurance coverage have a B+VII or better rating, as rated in the current A.M. Best Key Rating Guide for Property and Casualty Insurance Companies.

11) Self-insurance. If authorized in the Master Agreement, self-insurance shall be allowed in lieu of the above requirements upon CLEC's submission of proof that it has met the self-insurance requirements stated in the Master Agreement.

EXHIBIT V
NONDISCLOSURE AGREEMENT (MISSOURI)

Nondisclosure Agreement (SWBT Pole, Duct, Conduit, and Right-of-Way)

This Nondisclosure Agreement, effective as of the ____ day of _____, 19____, has been entered into by and between Southwestern Bell Telephone Company ("SWBT"), a Missouri corporation, and the undersigned person or firm ("Recipient") as a condition of access to certain records and information maintained by SWBT. The parties stipulate and agree as follows:

1) SWBT maintains records and information, including but not limited to outside plant engineering and construction records, which relate to poles, ducts, conduits, and rights-of-way which SWBT owns or controls. SWBT represents that such records and information are not made generally available for inspection or copying by the public and include business, economic, and engineering information (including but not limited to plans, designs, maps, diagrams, cable counts and cable-specific information, circuit records, and other competitively sensitive information) which SWBT intends to keep secret and which has economic value by virtue of not being generally known to or readily ascertainable by the public, including SWBT's competitors.

2) SWBT has agreed to make certain of its records and information relating to poles, ducts, conduits, and rights-of-way available to cable television systems and telecommunications carriers who are presently entitled under federal law to have access to the poles, ducts, conduits, and rights-of-way owned or controlled by SWBT.

3) Recipient represents that Recipient is a cable television system or telecommunications carrier entitled under federal law to access to poles, ducts, conduits, and rights-of-way owned or controlled by SWBT, or, if an individual, that he or she is acting on behalf of _____, which is such a cable television system or telecommunications carrier. Recipient further represents that Recipient is seeking access to SWBT's records and information relating to poles, ducts, conduits, and rights-of-way for the limited purpose of enabling engineering and construction personnel employed by or acting on behalf of such cable television system or telecommunications carrier to make engineering and construction decisions necessary to utilize SWBT's poles, ducts, conduits, and rights-of-way.

4) SWBT agrees that permitted uses of records and information concerning SWBT's poles, ducts, conduits, and rights-of-way are (a) determining which poles, ducts, conduits, and rights-of-way owned or controlled by SWBT are available for use by such cable television systems or telecommunications carriers as permitted by federal law, (b) designing, engineering, constructing, installing, maintaining, and removing equipment which is to be attached to or placed within such poles, ducts, conduits, and rights-of-way, and (c) contesting decisions, if any,

575

by SWBT not to provide access to such poles, ducts, conduits, and rights-of-way as requested. No other uses of such records or information are authorized or permitted under this Agreement.

5) Recipient agrees that Recipient will not use, or permit any other person or entity to use or have access to SWBT's records and information relating to poles, ducts, conduits, or rights-of-way or information for any purpose other than the limited purposes stated in 4) above and that such records and information shall not be disclosed or shared with any person or persons other than those who have a need to know such information for such limited purposes. Recipient specifically agrees that such records and information shall not be used or accessed by any person involved in sales, marketing, competitive intelligence, competitive analysis, strategic planning, and similar activities. Recipient further agrees that Recipient shall not furnish copies of such records or disclose information contained in such records to any person or entity which has not executed and delivered to SWBT a counterpart of this Agreement prior to receipt of such copies or information.

6) Recipient agrees that Recipient will not without SWBT's express written authorization copy, duplicate, sketch, draw, photograph, download, photocopy, scan, replicate, transmit, deliver, send, mail, communicate, or convey any of SWBT's records relating to poles, ducts, conduits, or rights-of-way. Recipient further agrees that Recipient will not conceal, alter, or destroy any SWBT records furnished to Recipient pursuant to this Agreement.

7) Notwithstanding the provisions of 6) above, and except as provided in 8) below, Recipient may copy, take notes from, make, and use (for the limited purposes specified herein) drawings with reference to the following records provided by SWBT to Recipient for inspection: pole and conduit route maps, cable plat maps, and plant location records reflecting approximate locations of SWBT's existing poles, ducts, conduits, and rights-of-way. All such copies, notes, and drawings (whether in hardcopy or electronic form) shall be marked with the legend: **"PROPRIETARY INFORMATION: NOT FOR USE BY OR DISCLOSURE TO ANY PERSON WHO HAS NOT EXECUTED A NONDISCLOSURE AGREEMENT (SWBT POLE, DUCT, CONDUIT, AND RIGHT-OF-WAY)."**

8) No references to cable counts, cable designations or cable-specific information, circuit information, or customer-specific information of any kind may be included in any copies, notes, or drawings made pursuant to 7) above; provided, however, that Recipient may make estimates regarding the physical characteristics (such as size and weight) of the cables being surveyed when necessary to make engineering determinations regarding the capacity, safety, reliability, or suitability of SWBT's poles, ducts, conduits, or rights-of-way for Recipient/Applicant's intended uses.

9) All records and information relating to poles, ducts, conduits, and rights-of-way provided to Recipient/Applicant by SWBT (whether in writing, orally, or in electronic or other formats) shall be deemed to be proprietary information subject to this Agreement without regard to whether such information, at the time of disclosure, has been marked with restrictive notations

(576)

such as "Proprietary," "Restricted Proprietary," "Confidential," "Not to Be Copied or Reproduced," or the like.

10) This Agreement applies only to records and information provided to Recipient by SWBT and does not apply to records and information obtained by Recipient from other lawful sources.

11) This Agreement does not prohibit the disclosure of records or information in response to subpoenas and/or orders of a governmental agency or court of competent jurisdiction. In the event Recipient receives an agency or court subpoena requiring such disclosure, Recipient shall immediately, and in no event later than five calendar days after receipt, notify SWBT in writing.

12) The Parties agree that, in the event of a breach or threatened breach of this Agreement, SWBT may seek any and all relief available in law or in equity as a remedy for such breach, including but not limited to monetary damages, specific performance, and injunctive relief. The Parties acknowledge that SWBT's records and information relating to poles, ducts, conduits, and rights-of-way include valuable and unique information and that disclosure of such information (including circuit information) will result in irreparable injury to SWBT. In the event of any breach of this Agreement for which legal or equitable relief is sought, SWBT shall be entitled to recover from Recipient all reasonable attorney's fees and other reasonable costs (including but not limited to fees of expert witnesses) incurred by SWBT in connection with the prosecution of its claims against Recipient.

13) This Agreement shall be effective on the effective date shown above and shall remain in full force and effect until terminated by either party as provided herein. Either party may, at any time, with or without cause, terminate this Agreement by giving the other party 60 days' advance written notice of its decision to terminate. The parties further agree that termination of this Agreement shall have no effect on the duty of any person or entity, including Recipient, to abide by all terms of this Agreement with respect to records and information received by Recipient while this Agreement is in effect.

14) This Agreement shall benefit and be binding on the parties below and their respective heirs, successors, and assigns.

15) This Agreement will be governed by the laws of the State of Missouri.

16) This Agreement sets forth the entire agreement and understanding between the parties with respect to the subject matter hereof, and none of the terms of this Agreement may be amended or modified except by written instrument signed by both parties.

577

IN WITNESS WHEREOF, the parties hereto have executed this Agreement, or caused this Agreement to be executed by their duly authorized representatives, in duplicate, as of the dates set forth below.

Recipient (Print or Type Name)

Southwestern Bell Telephone Company

By _____
Signature of Recipient or Representative

By _____
Signature

Name (Printed or Typed)

Name (Printed or Typed)

Address

Address

City, State, and Zip Code

City, State, and Zip Code

Phone

Phone

Date

Date

578

**EXHIBIT VI
NOTICES TO CLEC
(MISSOURI)**

(579)

**EXHIBIT VII
NOTICES TO SWBT
(MISSOURI)**

This Exhibit is an integral part of the Master Agreement for Access to Poles, Ducts, Conduits, and Rights-of-Way to which it is attached.

Utility Liaison Supervisor (ULS). Except as otherwise stated in this Exhibit, all notices to SWBT shall be given to the Utility Liaison Supervisor (ULS) designated in EXHIBIT VIII of the Master Agreement. The Utility Liaison Supervisor is generally responsible for coordinating applications for access to SWBT's poles, ducts, conduits, and rights-of-way and serving as CLEC's initial point of contact for matters arising out of or in connection with the administration of the Master Agreement. Notices to the ULS shall be given in writing in the manner prescribed in Section 29.02. Notices to be sent to the ULS include, but are not limited to, notices under the following provisions of the Master Agreement.

- 7.01 Notification of Designation of Primary Point of Contact
- 7.03(a) Notification of intent to review records
- 8.XX All Notifications in Article 8
- 9.XX All Notifications in Article 9
- 10.05(e) Notification Regarding Make-Ready Work
- 12.03(d) Notification of placing J-hook on non-licensed pole
- 12.04 Notification of occupation of maintenance duct for short-term use
- 12.06 Notification of CLEC's maintenance contact
- 13.01 Notification of planned modifications
- 14.02(c) Notification of CLEC's desire to add to or modify its existing attachment
- 15.02(b) Notification of occupation of maintenance duct for short-term emergency use
- 15.03 Notification of emergency repair coordinators
- 16.01 Notification that facilities have been brought into compliance
- 17.02(c) Disclaimer of ownership or responsibility for untagged facilities

580

- 18.01(a) Notice of intent to remove facilities
- 18.01(e) Notice of intent to terminate license
- 18.06 Notification of SWBT's intent to remove CLEC's facilities
- 20.01(c) Notification of change of bond
- 24.01 Notification of termination
- 24.03 Notification of cure of breach

Other notices. The following notices may be given orally or in writing (including fax) and shall be given to SWBT's Local Service Provider Center (LSPC) at 1-800-486-5598 instead of the ULS.

- 6.05(a) Notifications relating to electrical interference
- 6.09(h) Notifications of unsafe conditions
- 6.11(a) Notification of manhole entry
- 6.13(c) Notification of environmental contaminants
- 10.02(b) Notification of materials required for self-provisioning of inner duct
- 15.04 Notification of conditions requiring emergency repair
- 15.06(a) Notification of performing corrective work on emergency repair.
(advanced notice)
- 15.06(b) Notification of performing corrective work on emergency repair.
(no advanced notice)

Additional information and questions concerning notice requirements. The ULS, as CLEC's initial point of contact, will provide additional information to CLEC concerning notification procedures for notices to be given to LSPC. Questions to SWBT concerning notice requirements should be directed to the ULS. The ULS is not authorized to provide CLEC legal advice with respect to notice requirements. Questions by CLEC's personnel and other persons acting on CLEC's behalf concerning CLEC's legal obligations should be directed to CLEC's legal counsel or such other personnel as CLEC may direct.

Changes in notice requirements. Changes in the notice requirements set forth in this Exhibit may be made by SWBT from time to time in accordance with the provisions of Section 29.03 of the Master Agreement.

512

**EXHIBIT VIII
IDENTIFICATION OF UTILITY LIAISON SUPERVISOR
(MISSOURI)**

This Exhibit is an integral part of the Master Agreement for Access to Poles, Ducts, Conduits, and Rights-of-Way to which it is attached.

The Utility Liaison Supervisor for Missouri is named below. Notices to the Utility Liaison Supervisor should be addressed as follow:

Name:

Title: Utility Liaison Supervisor

Firm: Southwestern Bell Telephone Company

Address: 12930 Olive Street Road, Floor 2

City/State/Zip Creve Couer, Missouri 63141

593

ATTACHMENT 14: INTERIM NUMBER PORTABILITY

1.0 Interim Number Portability

- 1.1 SWBT and CLEC will provide Interim Number Portability in accordance with requirements of the Act. Interim Number Portability (INP) will be provided by each Party to the other upon request. INP will be provided with minimum impairment of functionality, quality, reliability and convenience to subscribers of CLEC or SWBT. The Parties will provide Permanent Number Portability (PNP), in conformance with FCC rules.

2.0 Non-Geographical Numbers

- 2.1 Neither Party will be required to provide Interim Number Portability for non-geographic services (e.g., 500 and 900 NPAs) or on COPT or SmartCoin lines under this Agreement, unless otherwise ordered by the FCC.

3.0 Availability

- 3.1 INP will be made available to either Party by the other on a reciprocal basis. INP will be provided through INP-Remote (remote call forwarding or like service) or INP-Direct (direct inward dialing trunks or like service). The requesting Party will specify either INP-Remote, or INP-Direct, on a per telephone number basis, and the providing Party will provide such method to the extent technically feasible.

4.0 INP-Remote

- 4.1 INP-Remote is a service that uses existing remote call forwarding technology to provide INP by redirecting calls within the telephone network. When INP-Remote is used, calls to the ported number will first route to the original local service provider's switch to which the ported number was assigned. Such Party's switch will then forward the call to the assigned number of the new local service provider's end user customer. When more than a total of 3 paths are required to handle simultaneous calls to the same ported telephone number, the requesting Party will order from the providing Party additional paths.

5.0 INP-Direct

- 5.1 INP-Direct is an existing service which uses DID or like technology to provide for the delivery of the calling (dialed) number to the requesting Party's switch for subsequent routing and call completion.
- 5.2 INP-Direct is available either on a per voice grade channel basis or a per DS1 (24 equivalent voice grade channels) basis.

584

- 5.3 Where the location of the requesting Party's switch is outside the area served by the providing Party's switch, the requesting Party is responsible for providing appropriate transport facilities.
- 5.4 INP-Direct must be established with a minimum configuration of 2 voice grade channels and one unassigned telephone number per switch. INP-Direct may not be mixed with any other type of trunk group. Outgoing calls may not be placed over trunk groups arranged for INP-Direct service.

6.0 Other Interim Portability Provisions

- 6.1 Either Party will exchange with the other SS7 TCAP messages as required for the implementation of Customer Local Area Signaling Services (CLASS) or other features available.
- 6.2 Either Party will notify the other of any technical or capacity limitations that would prevent use of a requested INP implementation in a particular switching office.
- 6.3 SWBT will cooperate with CLEC to ensure 911 service is fully available to ported end users consistent with state provisions. CLEC will have the right to verify the accuracy of the information regarding the CLEC customer in the ALI database.
- 6.4 Either Party will pass all Calling Party Number (CPN) or Automatic Number Identification (ANI) information to and from the ported number, whenever technically feasible.
- 6.5 SWBT will provide CLEC with interfaces that allow CLEC to access SWBT's Line Information Database (LIDB) service management system (SMS). These interfaces will allow CLEC to create, modify, and delete CLEC line records for ported numbers. SWBT will provide interfaces to the LIDB SMS to accomplish this function as set forth in Attachment 7, Section 1.7.1.1. If there is no change to the customer's existing LIDB functionality (e.g., collect/third party call blocking) SWBT should not remove the existing customer data. SWBT also will not delete the Directory Listings database information associated with the customer unless requested by CLEC. SWBT will use a mechanized process to ensure that SWBT's LIDB information for the end user is not deleted during the process of converting that customer to service provided by a CLEC through INP. In addition, for directory listings, when CLEC submits local service requests (LSRs) for UNE loop and port combinations "as specified" or for "stand alone" UNE switch ports, CLEC will have the option of whether to populate the LSR Directory Listing ("DL") Form. Under these circumstances, SWBT will treat non-submission of the DL form as an instruction to SWBT that CLEC's end-user listing(s) is to remain the same as the listing(s) currently appears in SWBT's directory listing databases.

- 6.6 SWBT agrees not to issue Telephone Line Number (TLN) based calling card numbers when a customer ports their number to CLEC.
- 6.7 SWBT and CLEC will cooperate in all service cutovers involving the other Party's service, to avoid unnecessary service outages.
- 6.8 Each Party will provide competitively neutral cost recovery as defined by the Commission which reflects the FCC NP Order.

7.0 Route Index Methods of INP

- 7.1 SWBT will provide, where LNP is not available, either or both Route Index Portability Hub (RI-PH) or Directory Number-Route Index (DN-RJ) INP methods to any CLEC who requests them, subject to the requesting CLEC(s) paying reasonable developmental and implementation cost.

8.0 NXX Migration (LERG Reassignment)

- 8.1 Where a Party has activated more than half of an NXX and the remaining numbers in that NXX are either unassigned or reserved for future use, at the request of that Party it may elect to employ NXX Migration. NXX Migration will be provided by utilizing reassignment of the NXX to the requesting Party through the Local Exchange Routing Guide (LERG). When NXX migration is used as an INP solution, each party shall absorb its own costs.

9.0 Cutover Process

- 9.1 For a Coordinated Cutover Environment (where the loop is being purchased by CLEC as an unbundled Network Element at the time of INP implementation), SWBT will update switch translations where necessary as close to the requested time as possible, not to exceed 30 minutes after the physical cutover is completed.
- 9.2 For a Non-Coordinated Cutover Environment (where the loop is supplied by CLEC) SWBT will schedule a mechanized update of switch translations at the CLEC requested cutover time (frame due time). SWBT will provide an operation contact whom CLEC can reach in the event manual intervention is needed to complete the cutover. In the event of manual intervention, completion will be negotiated by the parties.

10.0 Testing

- 10.1 SWBT and CLEC will cooperate in conducting testing to ensure interconnectivity between systems. The Parties will inform each other of any system updates that may affect either Party's network and will perform tests to validate the operation of the network.

59

11.0 Recording and Billing

- 11.1 The Parties will provide to each other the Exchange Message Records (EMR) for all alternately billed calls.
- 11.2 The Parties will supply each other with originating billing records which will enable them to bill each other or any other LSP for any local interconnection charge.

12.0 Line Status Verification/Busy Line Verify

- 12.1 When a Line Status Verification or Busy Line Interrupt request for a ported number is directed to either Party's operator and the query is not successful if the operator is aware that the number is a ported number, then the operator will direct the caller to the appropriate operator.

13.0 Pricing

- 13.1 SWBT and CLEC will absorb their own costs of providing INP. Because all parties will be absorbing their own costs, the charges listed below are zero.

INP Remote:

Per line	None
Add'l Path	None

INP Direct:

Number	None
Trunk Termination	None
D4 Channel Bank	None
DID Nonrecurring per #	None
DID Nonrecurring Transport per MOU	None

14.0 Additional INP Commitments

- 14.1 SWBT agrees to provide information on its internet website relating to conversions from INP to LNP as well as host forums with CLEC customers to discuss number portability issues.

(587)

APPENDIX LOCATION ROUTING NUMBER -
PERMANENT NUMBER PORTABILITY

1.0 Provision of Local Number Portability

1.1 SWBT and CLEC shall provide, number portability in accordance with requirements of the Act.

2.1 Location Routing Number - Permanent Number Portability (LRN-PNP)

2.1.1 SWBT and CLEC shall work to implement the LRN-PNP solution in accordance with the relevant FCC rulings, NANC (North American Numbering Council) guidelines specified in Section 2.2 of this Attachment. SWBT and CLEC shall also work to implement the guidelines of the Op WestRegion Steering Committee and Network Operations Team agreed to in writing by SWBT and CLEC.

2.1.2 SWBT and CLEC shall implement number portability in an end office upon the written request of the other Party in accordance with FCC timelines.

2.2 Requirements for LRN-PNP

2.2.1 The parties shall adhere to the generic requirements for LRN-PNP as specified in the following publications and FCC Orders:

2.2.1.1 Generic Switching and Signaling Requirements for Number Portability, Issue 1.05, August 1, 1997 [Editor - Lucent Technologies, Inc.];

2.2.1.2 Generic Requirements for SCP Application and GTT Function for Number Portability, Issue 0.99, Final Draft, January 6, 1997 [Editor - Ameritech Inc.];

2.2.1.3 Generic Operator Services Switching Requirements for Number Portability, Issue 1.1, June 20, 1996 [Editor - Nortel];

2.2.1.4 FCC First Report and Order and Further Notice of Proposed Rulemaking; FCC 96-286; CC Docket 95-116, RM 8535; Adopted: June 27, 1996; Released: July 2, 1996;

2.2.1.5 FCC First Memorandum Opinion And Order On Reconsideration; FCC 97-74, CC Docket No. 95-116, RM-8535; Adopted: March 6, 1997; Released: March 11, 1997;

2.2.1.6 FCC Second Report and Order, FCC 97-298, CC Docket No. 95-116, RM 8535, Adopted August 14, 1997, Released August 18, 1997; and

2.2.1.7 North American Number Council Report from the LNP Administration Selection Working Group, April 25, 1997.

588

2.2.2 LRN-PNP employs an "N-1" Query Methodology.

2.2.2.1 For interLATA or intraLATA toll calls, the originating carrier will pass the call to the appropriate toll carrier who will perform a query to an external routing database and efficiently route the call to the appropriate terminating local carrier either directly or through an access tandem office. Where one carrier is the originating local service provider (LSP) and the other is the designated toll carrier, the originating LSP will not query toll calls delivered to the toll carrier or charge the toll carrier for such queries.

2.2.2.2 For a local call to a ported number, the originating carrier is the "N-1" carrier. It will perform an external database query and pass the call to the appropriate terminating carrier.

2.2.3 For local calls to an NXX in which at least one number has been ported via LRN-PNP at the request of a CLEC, the Party that owns the originating switch shall query an LRN-PNP database as soon as the call reaches the first LRN-PNP-capable switch in the call path. The Party that owns the originating switch shall query on a local call to an NXX in which at least one number has been ported via LRN-PNP prior to any attempts to route the call to any other switch. Prior to the first number in an NXX being ported via LRN-PNP at the request of a CLEC, SWBT may query all calls directed to that NXX, subject to the billing provisions of Section 4.1, and provided that SWBT's queries shall not adversely affect the quality of service to CLEC's customers or end-users as compared to the service SWBT provides its own customers and end-users.

2.2.4 A Party shall be charged for an LRN-PNP query by the other Party only if the Party to be charged is the N-1 carrier and it was obligated to perform the LRN-PNP query but failed to do so. The only exception will be if the FCC rules (Docket No. 95-116) that the terminating carrier may charge the N-1 carrier for queries initiated before the first number is ported in an NXX.

2.2.5 On calls originating from a Party's network, the Party will populate, if technically feasible, the Jurisdiction Information Parameter (JIP) with the first six digits of the originating LRN in the Initial Address Message.

2.3 SMS Administration

SWBT and CLEC shall cooperate to facilitate the expeditious deployment of LRN-PNP based LNP through the process prescribed in the documents referenced in Section 2.1.1 of this Attachment including, but not limited to development of SMS, as well as SMS testing for effective procedures, electronic system interfaces, and overall readiness for use consistent with that specified for Provisioning in this Agreement.

2.4 Ordering

- 2.4.1 Porting of numbers with PNP will be initiated via Local Service Requests (LSR) based on Ordering and Billing Forum (OBF) recommendations. SWBT and CLEC will agree on all of the details of the interface, format and processing of LSRs no later than 180 days prior to the first implementation of PNP in the state shown on the face of this agreement or the date on which the transition window is considered to be opened pursuant to Section 3.2.2 of this Attachment, whichever date is earlier. If the Parties have not agreed on all of the details of the interface, format and processing of LSRs to both Parties' satisfaction within such time period, either Party may submit any disputed issues to the Alternative Dispute Resolution process set forth in Attachment 1 of this Agreement.
- 2.4.2 When an LSR is sent to one Party by the other Party to initiate porting via LRN-PNP, the receiving Party shall return, at the appropriate time, a Firm Order Confirmation (FOC).
- 2.4.3 For the purposes of this Attachment, the parties may use a project management approach for the implementation of LSRs for large quantities of ported numbers or for complex porting processes. With regard to such managed projects ("projects"), the parties may negotiate implementation details such as, but not limited to: Due Date, Cutover Intervals and Times, Coordination of Technical Resources, and Completion Notice.

3.0 Requirements for PNP

3.1 Cut-Over Process

- 3.1.1 SWBT and CLEC shall cooperate in the process of porting numbers to minimize ported subscriber out-of-service time. For cutover to LRN-PNP, both SWBT and CLEC agree to update their switch translations, where necessary, after notification that physical cut-over has been completed (or initiated), as close to the requested time as possible, not to exceed 59 minutes for non-coordinated orders or as otherwise agreed to by the parties for coordinated orders or on a project specific basis.
- 3.1.2 SWBT and CLEC shall cooperate in the process of porting numbers from one carrier to another so as to limit service outage for the ported subscriber. SWBT and CLEC will use their best efforts to update their respective Local Service Management Systems (LSMS) from the NPAC SMS data within 15 minutes after receipt of a download from the NPAC SMS (the current North American Numbering Council goal for such updating).
- 3.1.3 At the time of porting a number via LRN-PNP, the Party from which the number is being ported shall insure that the LIDB entry for that number is deprovisioned.
- 3.1.4 The Parties will remove (as close to the requested time as possible, not to exceed 59 minutes for non-coordinated orders or as otherwise agreed to by the parties for coordinated orders or on a project specific basis.) a ported number from the end office from which the number is being ported, as coordinated by the Parties' respective